

Catena Webservice (enterpriseWorkContractChain)

History of change

Versie	Datum	Beschrijving	Auteur(s)
1.0	26/06/2025	Initial version	Smals
1.1	27/08/2026	Update multiple sectors	Smals

Table of contents

Contents

Catena Webservice (enterpriseWorkContractChain)	1
History of change	1
Table of contents	1
Goal of the document	2
Lexicon	2
Catena declaration requirement	3
General Functionality of the webservice	3
Available operations	3
API Documentation	5
Description of objects	5
Description of endpoints	97
Declarations	97
Contracts	108
Subcontracting Relationships	120
Remarks	127
RefData	129
Environment Information	148
Service Availability and performance	148
Contact	148

Goal of the document

This document describes the technical specifications of the web service of the Catena platform of the NSSO. The document describes the context, the terms of use, the functionalities and the actions (request and response) of the service. For each type of message examples will be provided along with the possible error codes that can occur. This webservice was created to allow companies to comply to the legal obligation to register and maintain the chain of subcontractors

Lexicon

NSSO	National Social Security Office
RSZ	Rijksdienst voor Sociale Zekerheid
ONSS	Office national de Sécurité sociale
ENSS	Landesamt für Soziale Sicherheit
CBE	Crossroads Bank for Enterprises
KBO	Kruispuntbank van Ondernemingen
BCE	Banque Carrefour des Entreprises
ZDU	Zentrale Datenbank der Unternehmen

Catena declaration requirement

Works performed within the domain of 30bis and 30ter must be reported to the National Social Security Office (RSZ – ONSS). This includes real estate works (including the suppliers of ready-mixed concrete), surveillance activities and activities within the meat sector.

The obligation consists of the registration of the hierarchy of subcontractors related to the works and the obligation to keep the registered information up-to-date.

This obligation can be fulfilled either via a webapplication or via the webservice described in this document.

General Functionality of the webservice

Available operations

The NSSO offers a REST Web Service which allows companies to consult or manage their own chain of subcontractors or consult the chains of subcontractors in which they have been declared by others.

Name of the webservice: enterpriseWorkContractChain

The following operations are available:

Declarations: Create and retrieve declarations

- Create a new declaration along with a new contract and its corresponding subcontracting relationship: POST /declarations
- Update a declaration: PUT/declarations/{declarationId}
- Delete a declaration: DELETE/declarations/{declarationId}
- Search declarations: POST/declarations/search

Contracts: Create and retrieve contracts

- Create a new contract and its corresponding subcontracting relationship: POST/declarations/{declarationId}/contracts
- Update a contract: PUT/contracts/{contractId}
- Delete a contract: DELETE/contracts/{contractId}
- Search contracts: POST/contracts/search

Subcontracting Relationships: Create and retrieve subcontracting relationships

- Create a new subcontracting relationship: POST/contracts/{contractId}/subcontractingRelationships
- Update a subcontracting relationship: PUT/subcontractingRelationships/{subcontractingRelationshipId}
- Delete a subcontracting relationship: DELETE/subcontractingRelationships/{subcontractingRelationshipId}
- Search relationships: POST/subcontractingRelationship/search

Remarks: Retrieve remarks

- Get remarks of a contract: GET/contracts/{contractId}/remarks
- Get remarks of a subcontracting relationship: GET/subcontractingRelationships/{subcontractingRelationshipId}/remarks

RefData: Retrieve referential data

- Retrieve all building usage codes & labels: GET/refData/buildingUsages
- Return a building usage by its code: GET/refData/buildingUsages/{buildingUsageCode}
- Retrieve all contract status codes & labels: GET/refData/contractStatuses
- Return a contract status by its code: GET/refData/contractStatuses/{contractStatusCode}
- Retrieve all coordinator type codes & labels: GET/refData/coordinatorTypes
- Return a coordinator type by its code: GET/refData/coordinatorTypes/{coordinatorTypeCode}
- Retrieve all declaration activity sector codes and labels: GET/refData/declarationActivitySectors
- Return a declaration activity sector by its code:
GET/refData/declarationActivitySector/{declarationActivitySectorCode}
- Retrieve all declaration status codes & labels: GET/refData/declarationStatuses
- Return a declaration status by its code: GET/refData/declarationStatuses/{declarationStatusCode}
- Retrieve all remarks codes and descriptions: GET/refData/remarks
- Return a remark by its code: GET/refData/remarks/{remarkCode}
- Retrieve all subcontractor activities codes & labels: GET/refData/subcontractorActivities
- Return a subcontractor activity by its code: GET/refData/{subcontractorActivityCode}
- Retrieve all work activities codes & labels: GET/refData/workActivities
- Return a work activity by its code: GET/refData/workActivities/{workActivityCode}
- Retrieve all work risks codes & labels: GET/refData/workRisks
- Return a work risk by its code: GET/refData/workRisks/{workRiskCode}

API Documentation

This section explains how to use the various objects within the API. It provides details on each object's properties, including their data types, whether they are mandatory, and any specific usage guidelines.

Description of objects

In this chapter, a description of the different objects is given. In the next chapter, information is given on properties to provide for each operation.

Actor

Description

Represent an entity in the service supply chain, either as a service provider, a subordinate or a subcontractor

Properties

Properties	Description	Type	Format	Nullable	Information
type	The type of the actor, may be an organization or a person	String	Enum - organization - person	No	
identifier	The identifier of the actor. \ This information is mandatory if the actor type is an organization	Object (ActorIdentifier)		Yes	
name	The name of the actor (if available). Translated according to the Accept-Language HTTP header, with French as the default locale. This information is mandatory if the actor type is a person	String		Yes	
justification	Explanation of why this subcontractor has no registered enterprise number. \ This information is mandatory if the type is person	String	minLength: 1	Yes	Example: Foreign subcontractor not yet registered in the Belgian enterprise registry
address	Represent an address. Required if actor type is organization and identifier type is vatNumber OR If type is organization and identifier type is other	Object (Address)		Yes	

Example

```
"subContractor": {  
  "type": "organization",  
  "identifier": {  
    "type": "enterpriseNumber",  
    "value": "0450905686"  
  },  
  "name": "string",  
  "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",  
  "address": {  
    "countryNisCode": 150,  
    "postCode": "4340",  
    "municipality": "Awans",  
    "street": "Rue de Bruxelles",  
    "houseNumber": 174,  
    "boxNumber": "A"  
  }  
}
```

ActorBase**Description**

Represent an entity in the service supply chain, either as a service provider, a subordinate or a subcontractor

Properties

Properties	Description	Type	Format	Nullable	Information
type	The type of the actor, may be an organization or a person	String	Enum - organization - person	No	
identifier	The identifier of the actor. \ This information is mandatory if the actor type is an organization	Object (ActorIdentifier)		Yes	
name	The name of the actor (if available). \ Translated according to the Accept-Language HTTP header, with French as the default locale. \ This information is mandatory if the actor type is a person.	String		Yes	

Example

```
"subContractor": {  
  "type": "organization",  
  "identifier": {  
    "type": "enterpriseNumber",  
    "value": "0450905686"  
  },  
  "name": "string",  
}
```

ActorIdentifier**Description**

Represent an actor identifier. Belgian enterprises should be identified by their enterprise number, foreign enterprises established in the European Union should be identified by their VAT number and foreign enterprises not established in the European Union should be identified by any other identifier.

Properties

Properties	Description	Type	Format	Nullable	Information
type	The identifier type of the actor. \ This information is mandatory if the actor type is an organization.	String	Enum <ul style="list-style-type: none">- enterpriseNumber- vatNumber- other	No	
value	The identifier number of the actor	String		No	example: 0450905686

Example

```
"identifier": {  
  "type": "enterpriseNumber",  
  "value": "0450905686"  
},
```

ActorWithEmail**Description**

Represent an actor with its email.

Properties

Properties	Description	Type	Format	Nullable	Information
type	The type of the actor, may be an organization or a person.	String	Enum - organization - person	No	
identifier	The identifier of the actor. This information is mandatory if the actor type is an organization.			Yes	
name	The name of the actor (if available). Translated according to the Accept-Language HTTP header, with French as the default locale. This information is mandatory if the actor type is a person.	String		Yes	
justification	Explanation of why this subcontractor has no registered enterprise number.	String	minLength: 1	Yes	example: Foreign subcontractor not yet registered in the Belgian enterprise registry.
address	Represent an address. Required if actor type is "VAT".	Object (Address)			
email	Email of the contractor	String			

Example

```
"contractor": {
  "type": "organization",
  "identifier": {
    "type": "enterpriseNumber",
    "value": "0450905686"
  },
  "name": "string",
  "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
  "address": {
    "countryNisCode": 150,
    "postCode": "4340",
    "municipality": "Awans",
    "street": "Rue de Bruxelles",
    "houseNumber": "174",
    "boxNumber": "A"
  },
  "email": "user@example.com"
}
```

Address**Description**

Represent an address

Properties

Properties	Description	Type	Format	Nullable	Information
countryNisCode	NIS code representing a country as defined by statbel.fgov.be. If empty, Belgium will be assumed	Integer	<i>minimum: 100</i> <i>maximum: 999</i>	Yes	example: 150
postCode		String	minLength: 1	Yes	example: 4340
municipality		String	minLength: 1	Yes	example: Awans
street		String	minLength: 1	Yes	example: Rue de Bruxelles
houseNumber		String	minLength: 1	Yes	example: 174
boxNumber		String	minLength: 1	Yes	example: A

Example

```
"address": {  
  "countryNisCode": 150,  
  "postCode": "4340",  
  "municipality": "Awans",  
  "street": "Rue de Bruxelles",  
  "houseNumber": 174,  
  "boxNumber": "A"  
}
```

BuildingUsage**Description**

Ref data ; code & its i18n labels (FR/NL/DE/EN)

Properties

Properties	Description	Type	Format	Nullable	Information
code	Code of the RefData, all accepted values can be fetched by /refData/buildingUsages request	String		Yes	example: 01
label	A description specified in multiple languages	Object (LocalizedString)		Yes	

Example

```
{
  "items": [
    {
      "code": "01",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

BuildingUsageList**Description**

Ref data ; code & its i18n labels (FR/NL/DE/EN)

Properties

Properties	Description	Type	Format	Nullable	Information
code	Code of the RefData, all accepted values can be fetched by /refData/buildingUsages request	String	-	Yes	example: 01
label	A description specified in multiple languages	Object (LocalizedString)		Yes	

Example

```
{
  "items": [
    {
      "code": "01",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

Contact**Description**

Contact details of a person such as names, email and phone number

Properties

Properties	Description	Type	Format	Nullable	Information
givenName	Most important of the given names of the person (given name aka first name).	String	pattern: '^[a-zA-ZÀ-ÖØ-öø-ÿ0-9\s''-]*\$' minLength: 1 maxLength: 255	Yes	Example: John
familyName	A family name is usually shared by members of a family. This information is mandatory if the declaration's activity sector is not 'delivery'	String	pattern: '^[a-zA-ZÀ-ÖØ-öø-ÿ0-9\s''-]*\$' minLength: 1 maxLength: 255	Yes	Example: Doe
telephone	Telephone number. This information is mandatory if the declaration's activity sector is not 'delivery'	String		Yes	Example: +32 123 45 67 89
email	E-mail address. This information is mandatory if the declaration's activity sector is not 'delivery'	String		Yes	Example: johnDoe@outlook.com

Example

```
"contact": {
  "givenName": "John",
  "familyName": "Doe",
  "telephone": "+32 123 45 67 89",
  "email": "johnDoe@outlook.com"
},
```

Contract**Description**

Representation of a work contract.

Specific work portion assigned to a company within the larger project.

Properties

Properties	Description	Type	Format	Nullable	Information
temporaryEnterprise	Temporary company composed of a group of existing enterprises working together	Object (TemporaryEnterprise)		Yes	
signatureDate	Signature date of the contract. Should be greater or equal to the creationDate and less or equal to the start date of the works. \ This information is only available and mandatory if the declaration's activity sector is not 'delivery'.	String	date	Yes	
workStartDate	Start date of the works of the contract. Can be in the past but this will result in a remark. \ This information is only available and mandatory if the declaration's activity sector is not 'delivery'.	String	date	Yes	
workEndDate	End date of the works of the contract. Cannot be before the start date of the works. \ This information is only available and mandatory if the declaration's activity sector is not 'delivery'.	String	Date	Yes	
declarationNeededAtTheStartOfWork	Indicates that the subcontracting relationship	Boolean		Yes	

	<p>declaration is needed at the start of the work.</p> <p>\ This information is only available if the declaration's activity sector is 'real estate'.</p>				
amount	<p>Total amount of the contract in Euro cents. Should be positive.</p> <p>\ This information is only available and mandatory if the declaration's activity sector is not 'delivery'</p>	Object (EuroCentPositiveAmount)	minimum: 0	Yes	example: 1234567
timeAndMaterials	<p>Indicates that the amount is not definitive.</p> <p>\ This information is only available if the declaration's activity sector is not 'delivery'</p>	Boolean		Yes	
customInternalReference	<p>Free text field allowing entry of another contract reference, just for information.</p> <p>\ This information is only available if the declaration's activity sector is not 'delivery'.</p>	String		Yes	
workRisks	<p>List of work risks involved in the contract.</p> <p>\ This information is only available if the declaration's activity sector is 'real estate'.</p>	String (WorkRiskCode)	^[A-Za-z0-9_]{1,50}\$	Yes	Example: asbestos
workActivities	<p>List of work activities involved in the contract. Minimum one activity is required.</p>	String (WorkActivityCode)	^[A-Za-z0-9_]{1,50}\$	Yes	example: scaffolding_installation

	\ This information is only available if the declaration's activity sector is 'real estate'.				
contact	Contact details of a person such as names, email and phone number. \ If configured as such in the parameters, this field may be mandatory.	Object (Contact)		Yes	
id	Reference of a contract (starts the same way as the declaration's suffixed with an incremental index)	String	^[A-HJ-NP-Z0-9]{13}/\d+\$	Yes	Example: 1Y1012345678P/1
subcontractingRelationshipId	Reference of a subcontracting relationship	String	^[a-z0-9]+(\.[a-z0-9]+)*\$	Yes	example: wbqyn68.pm9vk readOnly: true
contractor	Represent an entity in the service supply chain, either as a service provider, a subordinate or a subcontractor	Object (ActorWithEmail)		Yes	
declaration	Representation of a declaration	Object (Declaration)		Yes	
status	Ref data ; code & its i18n labels (FR/NL/DE/EN)	Object (ContractStatus)		Yes	

Example

```
{
  "temporaryEnterprise": {
    "enterpriseNumber": "0406798006"
  },
  "signatureDate": "2026-07-31",
  "workStartDate": "2026-07-31",
  "workEndDate": "2026-07-31",
  "declarationNeededAtTheStartOfWork": true,
  "amount": 1234567,
  "timeAndMaterials": true,
  "customInternalReference": "string",
  "workRisks": [
```

```

    "asbestos"
  ],
  "workActivities": [
    "scaffolding_installation"
  ],
  "contact": {
    "givenName": "John",
    "familyName": "Doe",
    "telephone": "+32 475 12 34 56",
    "email": "johnDoe@outlook.com"
  },
  "comment": "Comment of the contract",
  "id": "1Y1012345678P/1",
  "contractor": {
    "type": "organization",
    "identifier": {
      "type": "enterpriseNumber",
      "value": "0450905686"
    }
  },
  "name": "string",
  "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
  "address": {
    "countryNisCode": 150,
    "postCode": "4340",
    "municipality": "Awans",
    "street": "Rue de Bruxelles",
    "houseNumber": 174,
    "boxNumber": "A"
  },
  "email": "user@example.com"
},
"subcontractingRelationshipId": "wbqyn68.pm9vk",
"declaration": {
  "id": "1Y1012345678P",
  "activitySector": "delivery",
  "purpose": "continuous",
  "mainPlaceOfWork": {
    "countryNisCode": 150,
    "postCode": "4340",
    "municipality": "Awans",
    "street": "Rue de Bruxelles",
    "houseNumber": 174,
    "boxNumber": "A"
  }
},
"orderer": {
  "type": "organization",
  "identifier": {
    "type": "enterpriseNumber",

```

```

    "value": "0450905686"
  },
  "name": "string",
  "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
  "address": {
    "countryNisCode": 150,
    "postCode": "4340",
    "municipality": "Awans",
    "street": "Rue de Bruxelles",
    "houseNumber": 174,
    "boxNumber": "A"
  }
},
"coordinators": [
  {
    "actor": {
      "type": "organization",
      "identifier": {
        "type": "enterpriseNumber",
        "value": "0450905686"
      },
      "name": "string",
      "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
      "address": "string"
    },
    "type": "project_owner_design"
  }
],
"buildingUsage": "01",
"customInternalReference": "string",
"presenceRegistrationRequired": true,
"publicProcurement": true,
"confidential": true,
"contractAmount": 0,
"status": "active",
"startDate": "2026-07-31",
"endDate": "2026-07-31"
},
"status": {
  "code": "active",
  "label": {
    "nl": "string",
    "fr": "string",
    "de": "string",
    "en": "string"
  }
}
}
}

```

ContractBase**Description**

Data required to update a contract

Properties

Properties	Description	Type	Format	Nullable	Information
temporaryEnterprise	Temporary company composed of a group of existing enterprises working together	Object (TemporaryEnterprise)		Yes	
signatureDate	Signature date of the contract. Should be greater or equal to the creationDate and less or equal to the start date of the works. \ This information is only available and mandatory if the declaration's activity sector is not 'delivery'.	String	date	Yes	
workStartDate	Start date of the works of the contract. Can be in the past but this will result in a remark. \ This information is only available and mandatory if the declaration's activity sector is not 'delivery'.	String	date	Yes	
workEndDate	End date of the works of the contract. Cannot be before the start date of the works. \ This information is only available and mandatory if the declaration's activity sector is not 'delivery'.	String	Date	Yes	
declarationNeededAtTheStartOfWork	Indicates that the subcontracting relationship declaration is needed at the start of the work.	Boolean		Yes	

	\ This information is only available if the declaration's activity sector is 'real estate'.				
amount	Total amount of the contract in Euro cents. Should be positive. \ This information is only available and mandatory if the declaration's activity sector is not 'delivery'	Object (EuroCentPositiveAmount)	minimum: 0	Yes	example: 1234567
timeAndMaterials	Indicates that the amount is not definitive. \ This information is only available if the declaration's activity sector is not 'delivery'	Boolean		Yes	
customInternalReference	Free text field allowing entry of another contract reference, just for information. \ This information is only available if the declaration's activity sector is not 'delivery'.	String		Yes	
workRisks	List of work risks involved in the contract. \ This information is only available if the declaration's activity sector is 'real estate'.	String (WorkRiskCode)	^[A-Za-z0-9_]{1,50}\$	Yes	Example: asbestos
workActivities	List of work activities involved in the contract. Minimum one activity is required. \ This information is only available if the declaration's activity sector is 'real estate'.	String (WorkActivityCode)	^[A-Za-z0-9_]{1,50}\$	Yes	example: scaffolding_installation
contact	Contact details of a person	Object		Yes	

	such as names, email and phone number. \ If configured as such in the parameters, this field may be mandatory.	(Contact)			
--	---	-----------	--	--	--

Example

```
"temporaryEnterprise": {
  "enterpriseNumber": "0406798006"
},
"signatureDate": "2026-07-31",
"workStartDate": "2026-07-31",
"workEndDate": "2026-07-31",
"declarationNeededAtTheStartOfWork": true,
"amount": 1234567,
"timeAndMaterials": true,
"customInternalReference": "string",
"workRisks": [
  "asbestos"
],
"workActivities": [
  "scaffolding_installation"
],
"contact": {
  "givenName": "John",
  "familyName": "Doe",
  "telephone": "+32 475 12 34 56",
  "email": "johnDoe@outlook.com"
},
}
```

ContractCreation**Description**

Data required to create a contract and its corresponding subcontracting relationship

Properties

Properties	Description	Type	Format	Nullable	Information
id	Reference of a contract (starts the same way as the declaration's suffixed with an incremental index)	String	^[A-HJ-NP-Z0-9]{13}/\d+\$	Yes	Example: 1Y1012345678P/1
subcontractingRelationshipId	Reference of a subcontracting relationship	String	^[a-z0-9]+(\.[a-z0-9]+)*\$	Yes	Readonly example: wbqyn68.pm9vk
contractor	This field is required. If the authenticated user is a company, this field will be automatically overwritten with the company's data; in that case, the email address must still be provided. If the authenticated user is an NSSO agent, the value specified in the object will be used as-is.	Object (ActorWithEmail)		Yes	
contact	Contact details of a person such as names, email and phone number	Object (Contact)		Yes	
temporaryEnterprise	Temporary company composed of a group of existing enterprises working together	Object (TemporaryEnterprise)		Yes	
signatureDate	Signature date of the contract. Should be greater or equal to the creationDate and less or equal to the start date of the works. \ This information is only available and mandatory if the declaration's activity sector is not 'delivery'.	String	date	Yes	
workStartDate	Start date of the works of the	String	date	Yes	

	contract. Can be in the past but this will result in a remark. \ This information is only available and mandatory if the declaration's activity sector is not 'delivery'.				
workEndDate	End date of the works of the contract. Cannot be before the start date of the works. \ This information is only available and mandatory if the declaration's activity sector is not 'delivery'.	String	Date	Yes	
declarationNeededAtTheStartOfWork	Indicates that the subcontracting relationship declaration is needed at the start of the work. \ This information is only available if the declaration's activity sector is 'real estate'.	Boolean		Yes	
amount	Total amount of the contract in Euro cents. Should be positive. \ This information is only available and mandatory if the declaration's activity sector is not 'delivery'.	Object (EuroCentPositiveAmount)	minimum: 0	Yes	example: 1234567
timeAndMaterials	Indicates that the amount is not definitive. \ This information is only available if the declaration's activity sector is not 'delivery'.	Boolean		Yes	
customInternalReference	Free text field allowing entry of another contract reference, just for information. \ This information is only available if the declaration's activity sector is not 'delivery'.	String		Yes	
workRisks	List of work risks involved in the contract.	String (WorkRiskCode)	^[A-Za-z0-9_]{1,50}\$	Yes	Example: asbestos

	\ This information is only available if the declaration's activity sector is 'real estate'.				
workActivities	List of work activities involved in the contract. Minimum one activity is required. \ This information is only available if the declaration's activity sector is 'real estate'.	String (WorkActivityCode)	^[A-Za-z0-9_]{1,50}\$	Yes	example: scaffolding_installation

Example

```
{
  "temporaryEnterprise": {
    "enterpriseNumber": "0406798006"
  },
  "signatureDate": "2026-07-29",
  "workStartDate": "2026-07-29",
  "workEndDate": "2026-07-29",
  "declarationNeededAtTheStartOfWork": true,
  "amount": 1234567,
  "timeAndMaterials": true,
  "customInternalReference": "string",
  "workRisks": [
    "asbestos"
  ],
  "workActivities": [
    "scaffolding_installation"
  ],
  "contact": {
    "givenName": "John",
    "familyName": "Doe",
    "telephone": "+32 475 12 34 56",
    "email": "johnDoe@outlook.com"
  },
  "comment": "Comment of the contract",
  "contractor": {
    "type": "organization",
    "identifier": {
      "type": "enterpriseNumber",
      "value": "0450905686"
    },
    "name": "string",
    "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
    "address": {
      "countryNisCode": 150,

```

```
"postCode": "4340",  
"municipality": "Awans",  
"street": "Rue de Bruxelles",  
"houseNumber": 174,  
"boxNumber": "A"  
},  
"email": "user@example.com"  
}  
}
```

ContractPage**Description**

List of contracts paginated

Properties

Properties	Description	Type	Format	Nullable	Information
SearchResultPage	Pagination details of the search results	Object (SearchResultPage)			
Items	Search results	Array (Contract)			
Sort	Sorting criteria of the search results	Object (ContractSort)			

Example

```
{
  "first": "string",
  "last": "string",
  "prev": "string",
  "next": "string",
  "page": 0,
  "pageSize": 0,
  "total": 0,
  "totalPages": 0,
  "items": [
    {
      "id": "1Y1012345678P/1",
      "subcontractingRelationshipId": "wbqyn68.pm9vk",
      "contractor": {
        "enterpriseNumber": "0406798006",
        "name": "string"
      },
      "contact": {
        "givenName": "John",
        "familyName": "Doe",
        "telephone": "+32 475 12 34 56",
        "email": "johnDoe@outlook.com"
      },
      "declaration": {
        "id": "1Y1012345678P",
        "context": "delivery",
        "purpose": "continuous"
      },
      "comment": "Comment of the contract"
    }
  ]
}
```

```
],  
  "sort": {  
    "direction": "asc",  
    "property": "id"  
  }  
}
```

ContractSearch

Description

Search criteria for a contract

Properties

Properties	Description	Type	Format	Nullable	Information
criteria	Criteria to search contracts	Object (ContractSearchCriteria)		No	
sort	Option to sort the search results	Object (ContractSort)		Yes	

Example

```
{
  "criteria": {
    "id": "1Y1012345678P/1",
    "enterpriseNumber": "0206731645",
    "declaration": {
      "id": "1Y1012345678P",
      "context": [
        "delivery"
      ],
      "purpose": "continuous"
    }
  },
  "sort": {
    "direction": "asc",
    "property": "id"
  }
}
```

ContractSearchCriteriaBase**Description**

Criteria to search contracts

Properties

Properties	Description	Type	Format	Nullable	Information
id	Reference of a contract (starts the same way as the declaration's suffixed with an incremental index)	String	^[A-HJ-NP-Z0-9]{13}/\d+\$	Yes	
status	Code of the RefData, all accepted values can be fetched by /refData/contractStatuses request	String	^[A-Za-z0-9_]{1,50}\$	Yes	Example: active

Example

```
{  
  "criteria": {  
    "id": "1Y1012345678P/1",  
    "status": [  
      "active"  
    ]  
  }  
}
```

ContractSearchCriteria**Description**

Criteria to search contracts

Properties

Properties	Description	Type	Format	Nullable	Information
id	Reference of a contract (starts the same way as the declaration's suffixed with an incremental index)	String	^[A-HJ-NP-Z0-9]{13}/\d+\$	Yes	
status	Code of the RefData, all accepted values can be fetched by /refData/contractStatuses request	String	^[A-Za-z0-9_]{1,50}\$	Yes	Example: active
contractor		Object (ActorBase)		Yes	
declaration		Object (DeclarationSearchCriteriaBase)		Yes	

Example

```
{
  "criteria": {
    "id": "1Y1012345678P/1",
    "status": [
      "active"
    ],
    "contractor": {
      "type": "organization",
      "identifier": {
        "type": "enterpriseNumber",
        "value": "0450905686"
      },
      "name": "string"
    },
    "declaration": {
      "id": "1Y1012345678P",
      "activitySector": [
        "delivery"
      ],
      "purpose": "continuous",
      "status": [
        "active"
      ]
    }
  }
}
```

ContractSort**Description**

Criteria to sort search result of contractsearch

Properties

Properties	Description	Type	Format	Nullable	Information
direction	Sorting direction of the search results	String	Enum: - asc - desc	Yes	
property	Property on which to sort	String	Enum: - id	No	Default: id

Example

```
"sort": {  
  "direction": "asc",  
  "property": "id"  
}
```

ContractStatus**Description**

Ref data ; code & its i18n labels (FR/NL/DE/EN)

Properties

Properties	Description	Type	Format	Nullable	Information
code	Code of the RefData, all accepted values can be fetched by /refData/contractStatuses request	String	^[A-Za-z0-9_]{1,50}\$	Yes	example: active
label		Object (LocalizedString)		Yes	

Example

```
{
  "items": [
    {
      "code": "active",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

ContractStatusList**Description**

List of contract statuses

Example

```
{
  "items": [
    {
      "code": "active",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

ContractUpdate**Description**

Data required to update a contract

Properties

Properties	Description	Type	Format	Nullable	Information
contractor	Represent an entity in the service supply chain, either as a service provider, a subordinate or a subcontractor	Object (Actor)		Yes	
contact	Contact details of a person such as names, email and phone number	Object (Contact)		Yes	
temporaryEnterprise	Temporary company composed of a group of existing enterprises working together	Object (TemporaryEnterprise)		Yes	
signatureDate	Signature date of the contract. Should be greater or equal to the creationDate and less or equal to the start date of the works. \ This information is only available and mandatory if the declaration's activity sector is not 'delivery'.	String	date	Yes	
workStartDate	Start date of the works of the contract. Can be in the past but this will result in a remark. \ This information is only available and mandatory if the declaration's activity sector is not 'delivery'.	String	date	Yes	
workEndDate	End date of the works of the contract. Cannot be before the start date of the works. \ This information is only available and mandatory if the declaration's activity sector is not 'delivery'.	String	Date	Yes	
declarationNeededAtTheStartOfWork	Indicates that the subcontracting relationship declaration is needed at the start of the work. \ This information is only available if the declaration's activity sector is 'real estate'.	Boolean		Yes	
amount	Total amount of the contract in Euro cents. Should be positive. \ This information is only available and mandatory if the declaration's activity sector is	Object (EuroCentPositiveAmount)	minimum: 0	Yes	example: 1234567

	not 'delivery'				
timeAndMaterials	Indicates that the amount is not definitive. \ This information is only available if the declaration's activity sector is not 'delivery'	Boolean		Yes	
customInternalReference	Free text field allowing entry of another contract reference, just for information. \ This information is only available if the declaration's activity sector is not 'delivery'.	String		Yes	
workRisks	List of work risks involved in the contract. \ This information is only available if the declaration's activity sector is 'real estate'.	String (WorkRiskCode)	^[A-Za-z0-9_]{1,50}\$	Yes	Example: asbestos
workActivities	List of work activities involved in the contract. Minimum one activity is required. \ This information is only available if the declaration's activity sector is 'real estate'.	String (WorkActivityCode)	^[A-Za-z0-9_]{1,50}\$	Yes	example: scaffolding_installation

Example

```
{
  "temporaryEnterprise": {
    "enterpriseNumber": "0406798006"
  },
  "signatureDate": "2026-07-29",
  "workStartDate": "2026-07-29",
  "workEndDate": "2026-07-29",
  "declarationNeededAtTheStartOfWork": true,
  "amount": 1234567,
  "timeAndMaterials": true,
  "customInternalReference": "string",
  "workRisks": [
    "asbestos"
  ],
  "workActivities": [
    "scaffolding_installation"
  ],
  "contact": {
    "givenName": "John",
    "familyName": "Doe",
    "telephone": "+32 475 12 34 56",
    "email": "johnDoe@outlook.com"
  },
  "comment": "Comment of the contract",
  "contractor": {
    "email": "user@example.com"
  }
}
```

```
}  
}
```

ContractWithSubcontractingRelationships**Description**

Representation of a contract with its related subcontracting relationships

Properties

Properties	Description	Type	Format	Nullable	Information
id	Reference of a contract (starts the same way as the declaration's suffixed with an incremental index)	String	^[A-HJ-NP-Z0-9]{13}/\d+\$	Yes	example: 1Y1012345678P/1
contractor		Object (ActorBase)		Yes	
workStartDate		String	Date	Yes	
workEndDate		String	Date	Yes	
subcontractingRelationship		Object (SubcontractingRelationshipsNode)		Yes	

Example

```
"contracts": [
  {
    "id": "1Y1012345678P/1",
    "contractor": {
      "type": "organization",
      "identifier": {
        "type": "enterpriseNumber",
        "value": "0450905686"
      },
      "name": "string"
    },
    "workStartDate": "2026-07-29",
    "workEndDate": "2026-07-29",
    "subcontractingRelationship": {
      "id": "wbqyn68.pm9vk",
      "subContractor": {
        "type": "organization",
        "identifier": {
          "type": "enterpriseNumber",
          "value": "0450905686"
        }
      }
    }
  }
]
```

Coordinator

Description

Represent an entity in the service supply chain, either as a service provider, a subordinate or a subcontractor

Properties

Properties	Description	Type	Format	Nullable	Information
actor	Represent an entity in the service supply chain, either as a service provider, a subordinate or a subcontractor.	Object (Actor)		Yes	
type	Code of the RefData, all accepted values can be fetched by /refData/coordinatorTypes request	String	^[A-Za-z0-9_]{1,50}\$	Yes	example: project_owner_design

Example

```
"coordinators": [  
  {  
    "actor": {  
      "type": "organization",  
      "identifier": {  
        "type": "enterpriseNumber",  
        "value": "0450905686"  
      },  
      "name": "string"  
    },  
    "type": "project_owner_design"  
  }  
]
```

CoordinatorType**Description**

Ref data ; code & its i18n labels (FR/NL/DE/EN)

Properties

Properties	Description	Type	Format	Nullable	Information
code	Code of the RefData, all accepted values can be fetched by /refData/coordinatorTypes request	String	^[A-Za-z0-9_]{1,50}\$	Yes	example: project_owner_design
label		Object (LocalizedString)		Yes	

Example

```
{
  "items": [
    {
      "code": "project_owner_design",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

CoordinatorTypeList

Description

Code of the RefData, all accepted values can be fetched by /refData/coordinatorTypes request

Example

```
{
  "items": [
    {
      "code": "project_owner_design",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

Declaration**Description**

Representation of a declaration.

A declaration of works is a concept that summarizes the common characteristics of the related contracts and connects the owner with contractors

Properties

Properties	Description	Type	Format	Nullable	Information
id	Reference of a particular declaration ; must contain 13 characters (digits or letters (no 'i' and 'o'))	String(13)	^[A-HJ-NP-Z0-9]{13}\$	Yes	Example: 1Y1012345678P
activitySector	Code of the RefData, all accepted values can be fetched by /refData/declarationActivitySectors request	String	^[A-Za-z0-9_]{1,50}\$	Yes	example: delivery
purpose	Purpose of the declaration. \ This information is only editable if the declaration's activity sector is not 'delivery'. For 'delivery', default value is 'continuous'.	String	Enum - specific - continuous	Yes	
mainPlaceOfWork	Main place of work of the declaration. \ This information is only available if the declaration's activity sector is not 'delivery'.	Object (MainPlaceOfWork)		Yes	
orderer	This field is used only when ordererIsAlsoContractor is false. This information is only available if the declaration's activity sector is not 'delivery'	Object (Actor)		Yes	
coordinators	List of coordinators involved in the declaration. Only one coordinator per type is allowed. \ This information is mandatory if the declaration's activity sector is 'real estate'.	Object (Coordinator)	Array	Yes	
buildingUsage	Building usage of the declaration. \ This information is mandatory if the declaration's activity sector is 'real estate'.	String		Yes	example: 01
customInternalReference	Free text field allowing entry of another declaration reference, just for information. \ This information is only available if the declaration's activity sector is not 'delivery'	String		Yes	

presenceRegistrationRequired	Indicates that presence registration is required for the declaration. \ This information is mandatory if the declaration's activity sector is 'real estate'.	Boolean		Yes	
publicProcurement	Indicates that the declaration is related to a public procurement contract. \ This information is mandatory if the declaration's activity sector is 'moving', 'real estate' or 'security'.	Boolean		Yes	
confidential	Indicates that the declaration is confidential. \ This information is only available if the declaration's activity sector is 'security'.	Boolean		Yes	
contractAmount	Total amount of all the contracts of the declaration in Euro cents.	Integer	Minimum: 0	Yes	
status	Code of the RefData, all accepted values can be fetched by /refData/declarationStatuses request	String	^[A-Za-z0-9_]{1,50}\$	Yes	example: active
startDate	Start date of the declaration, automatically calculated as the earliest start date among all child contracts.	String	Date	Yes	
endDate	The end date of the declaration, automatically calculated as the latest end date among all child contracts.	String	Date	Yes	

Example

```

"items": [
  {
    "id": "1Y1012345678P",
    "activitySector": "delivery",
    "purpose": "continuous",
    "mainPlaceOfWork": {
      "countryNisCode": 150,
      "postCode": "4340",
      "municipality": "Awans",
      "street": "Rue de Bruxelles",
      "houseNumber": 174,
      "boxNumber": "A"
    },
    "orderer": {
      "type": "organization",
      "identifier": {
        "type": "enterpriseNumber",
        "value": "0450905686"
      }
    }
  },

```

```

    "name": "string",
    "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
    "address": {
      "countryNisCode": 150,
      "postCode": "4340",
      "municipality": "Awans",
      "street": "Rue de Bruxelles",
      "houseNumber": 174,
      "boxNumber": "A"
    }
  },
  "coordinators": [
    {
      "actor": {
        "type": "organization",
        "identifier": {
          "type": "enterpriseNumber",
          "value": "0450905686"
        },
        "name": "string",
        "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
        "address": {
          "countryNisCode": 150,
          "postCode": "4340",
          "municipality": "Awans",
          "street": "Rue de Bruxelles",
          "houseNumber": 174,
          "boxNumber": "A"
        }
      },
      "type": "project_owner_design"
    }
  ],
  "buildingUsage": "01",
  "customInternalReference": "string",
  "presenceRegistrationRequired": true,
  "publicProcurement": true,
  "confidential": true,
  "contractAmount": 0,
  "status": "active",
  "startDate": "2026-07-29",
  "endDate": "2026-07-29"
}
]
}

```

DeclarationActivitySector**Description**

Ref data ; code & its i18n labels (FR/NL/DE/EN)

Properties

Properties	Description	Type	Format	Nullable	Information
code	Code of the RefData, all accepted values can be fetched by /refData/declarationActivitySectors request	String	^[A-Za-z0-9_]{1,50}\$	Yes	example: delivery
label		Object (LocalizedString)		Yes	

Example

```
{
  "items": [
    {
      "code": "delivery",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

DeclarationActivitySectorList**Description**

Ref data ; code & its i18n labels (FR/NL/DE/EN)

Properties

Properties	Description	Type	Format	Nullable	Information
items	List of available activity sector codes	Array (DeclarationActivitySector)		Yes	

Example

```
{
  "items": [
    {
      "code": "delivery",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

DeclarationBase**Description**

Representation of a declaration.

A declaration of works is a concept that summarizes the common characteristics of the related contracts and connects the owner with contractors.

Properties

Properties	Description	Type	Format	Nullable	Information
id	Reference of a particular declaration ; must contain 13 characters (digits or letters (no 'i' and 'o'))	String(13)	^[A-HJ-NP-Z0-9]{13}\$	Yes	Example: 1Y1012345678P
activitySector	Code of the RefData, all accepted values can be fetched by /refData/declarationActivitySectors request	String	^[A-Za-z0-9_]{1,50}\$	Yes	example: delivery
purpose	Purpose of the declaration. \ This information is only editable if the declaration's activity sector is not 'delivery'. For 'delivery', default value is 'continuous'.	String	Enum - specific - continuous	Yes	
mainPlaceOfWork	Main place of work of the declaration. \ This information is only available if the declaration's activity sector is not 'delivery'.	Object (MainPlaceOfWork)		Yes	
orderer	This field is used only when ordererIsAlsoContractor is false. This information is only available if the declaration's activity sector is not 'delivery'	Object (Actor)		Yes	
coordinators	List of coordinators involved in the declaration. Only one coordinator per type is allowed. \ This information is mandatory if the declaration's activity sector is 'real estate'.	Object (Coordinator)	Array	Yes	
buildingUsage	Building usage of the declaration. \ This information is mandatory if the declaration's activity sector is 'real estate'.	String		Yes	example: 01
customInternalReference	Free text field allowing entry of another declaration reference, just for information. \ This information is only available if the declaration's activity sector is not 'delivery'	String	minLength:1	Yes	
presenceRegistrationRequired	Indicates that presence registration is required	Boolean		Yes	

	for the declaration.\ This information is mandatory if the declaration's activity sector is 'real estate'.				
publicProcurement	Indicates that the declaration is related to a public procurement contract. \ This information is mandatory if the declaration's activity sector is 'moving', 'real estate' or 'security'.	Boolean		Yes	
confidential	Indicates that the declaration is confidential. \ This information is only available if the declaration's activity sector is 'security'.	Boolean		Yes	

Example

```
{
  "declaration": {
    "activitySector": "delivery",
    "purpose": "continuous",
    "mainPlaceOfWork": {
      "countryNisCode": 150,
      "postCode": "4340",
      "municipality": "Awans",
      "street": "Rue de Bruxelles",
      "houseNumber": 174,
      "boxNumber": "A"
    },
  },
  "orderer": {
    "type": "organization",
    "identifier": {
      "type": "enterpriseNumber",
      "value": "0450905686"
    },
    "name": "string",
    "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
    "address": {
      "countryNisCode": 150,
      "postCode": "4340",
      "municipality": "Awans",
      "street": "Rue de Bruxelles",
      "houseNumber": 174,
      "boxNumber": "A"
    }
  },
  "coordinators": [
    {
      "actor": {
        "type": "organization",
```

```
"identifier": {
  "type": "enterpriseNumber",
  "value": "0450905686"
},
"name": "string",
"justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
"address": {
  "countryNisCode": 150,
  "postCode": "4340",
  "municipality": "Awans",
  "street": "Rue de Bruxelles",
  "houseNumber": 174,
  "boxNumber": "A"
}
},
"type": "project_owner_design"
}
],
"buildingUsage": "01",
"customInternalReference": "string",
"presenceRegistrationRequired": true,
"publicProcurement": true,
"confidential": true,
```

DeclarationCreation**Description**

Data required to create a declaration along with a new contract and its corresponding subcontracting relationship

Properties

Properties	Description	Type	Format	Nullable	Information
declaration	Representation of a declaration	Object (DeclarationBase)		No	
ordererIsAlsoContractor	Indicates that the orderer is also the contractor. This information is only available if the declaration's activity sector is not 'delivery' and is mandatory if the declaration's activity sector is 'meat'	Boolean		No	
contract	Data required to create a contract and its corresponding subcontracting relationship	Object (ContractCreation)		No	

Example

```
{
  "declaration": {
    "activitySector": "delivery",
    "purpose": "continuous",
    "mainPlaceOfWork": {
      "countryNisCode": 150,
      "postCode": "4340",
      "municipality": "Awans",
      "street": "Rue de Bruxelles",
      "houseNumber": "174",
      "boxNumber": "A"
    },
  },
  "orderer": {
    "type": "organization",
    "identifier": {
      "type": "enterpriseNumber",
      "value": "0450905686"
    },
  },
  "name": "string",
  "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
  "address": {
    "countryNisCode": 150,
    "postCode": "4340",
    "municipality": "Awans",
    "street": "Rue de Bruxelles",
    "houseNumber": "174",
    "boxNumber": "A"
  }
}
```

```

    }
  },
  "coordinators": [
    {
      "actor": {
        "type": "organization",
        "identifier": {
          "type": "enterpriseNumber",
          "value": "0450905686"
        },
      },
      "name": "string",
      "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
      "address": {
        "countryNisCode": 150,
        "postCode": "4340",
        "municipality": "Awans",
        "street": "Rue de Bruxelles",
        "houseNumber": "174",
        "boxNumber": "A"
      },
    },
    {
      "type": "project_owner_design"
    }
  ],
  "buildingUsage": "01",
  "customInternalReference": "string",
  "presenceRegistrationRequired": true,
  "publicProcurement": true,
  "confidential": true,
  "ordererIsAlsoContractor": true
},
"contract": {
  "temporaryEnterprise": {
    "enterpriseNumber": "0406798006"
  },
  "signatureDate": "2026-08-20",
  "workStartDate": "2026-08-20",
  "workEndDate": "2026-08-20",
  "declarationNeededAtTheStartOfWork": true,
  "amount": 1234567,
  "timeAndMaterials": true,
  "customInternalReference": "string",
  "workRisks": [
    "asbestos"
  ],
  "workActivities": [
    "scaffolding_installation"
  ],
}

```

```
"contact": {
  "givenName": "John",
  "familyName": "Doe",
  "telephone": "+32 475 12 34 56",
  "email": "johnDoe@outlook.com"
},
"comment": "Comment of the contract",
"contractor": {
  "type": "organization",
  "identifier": {
    "type": "enterpriseNumber",
    "value": "0450905686"
  },
  "name": "string",
  "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
  "address": {
    "countryNisCode": 150,
    "postCode": "4340",
    "municipality": "Awans",
    "street": "Rue de Bruxelles",
    "houseNumber": "174",
    "boxNumber": "A"
  },
  "email": "user@example.com"
}
}
```

DeclarationPage**Description**

List of declarations paginated

Properties

Properties	Description	Type	Format	Nullable	Information
SearchResultPage	Pagination details of the search results	Object (SearchResultPage)			
Items	Search results	Array (Contract)			

Example

```
{
  "first": "string",
  "last": "string",
  "prev": "string",
  "next": "string",
  "page": 0,
  "pageSize": 0,
  "total": 0,
  "totalPages": 0,
  "items": [
    {
      "id": "1Y1012345678P",
      "activitySector": "delivery",
      "purpose": "continuous",
      "mainPlaceOfWork": {
        "countryNisCode": 150,
        "postCode": "4340",
        "municipality": "Awans",
        "street": "Rue de Bruxelles",
        "houseNumber": 174,
        "boxNumber": "A"
      },
      "orderer": {
        "type": "organization",
        "identifier": {
          "type": "enterpriseNumber",
          "value": "0450905686"
        },
        "name": "string",
        "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
        "address": {
          "countryNisCode": 150,
```

```

    "postCode": "4340",
    "municipality": "Awans",
    "street": "Rue de Bruxelles",
    "houseNumber": 174,
    "boxNumber": "A"
  }
},
"coordinators": [
  {
    "actor": {
      "type": "organization",
      "identifier": {
        "type": "enterpriseNumber",
        "value": "0450905686"
      },
      "name": "string",
      "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
      "address": {
        "countryNisCode": 150,
        "postCode": "4340",
        "municipality": "Awans",
        "street": "Rue de Bruxelles",
        "houseNumber": 174,
        "boxNumber": "A"
      }
    },
    "type": "project_owner_design"
  }
],
"buildingUsage": "01",
"customInternalReference": "string",
"presenceRegistrationRequired": true,
"publicProcurement": true,
"confidential": true,
"contractAmount": 0,
"status": "active",
"startDate": "2026-07-29",
"endDate": "2026-07-29"
}
]
}

```

DeclarationSearch

Description

Search criteria for a declaration

Properties

Properties	Description	Type	Format	Nullable	Information
criteria	Criteria to search declaration	Object (DeclarationSearchCriteria)		No	
sort		Object (DeclarationSort)			

Example

```
{
  "criteria": {
    "id": "1Y1012345678P",
    "activitySector": [
      "delivery"
    ],
    "purpose": "continuous",
    "status": [
      "active"
    ],
    "workRisks": [
      "asbestos"
    ],
    "presenceRegistrationRequired": true,
    "mainPlaceOfWork": {
      "postalCode": "4340",
      "municipality": "Awans",
      "street": "Rue de Bruxelles"
    },
    "actor": [
      {
        "type": "organization",
        "identifier": {
          "type": "enterpriseNumber",
          "value": "0450905686"
        },
        "name": "string",
        "role": "contractor"
      }
    ],
    "startDate": "2026-07-29",
    "endDate": "2026-07-29",
  }
}
```

```
"dateConcerned": "contractActivityPeriod",  
"includeDeleted": true,  
"onlyContractWithoutSubcontractor": true  
},  
"sort": {  
  "direction": "asc",  
  "property": "id"  
}  
}
```

DeclarationSearchCriteriaBase**Description**

Criteria to search declaration

Properties

Properties	Description	Type	Format	Nullable	Information
id	Reference of a particular declaration ; must contain 13 characters (digits or letters (no 'i' and 'o'))	String(13)	^[A-HJ-NP-Z0-9]{13}\$ -	Yes	Example: 1Y1012345678P
activitySector	Code of the RefData, all accepted values can be fetched by /refData/declarationActivitySectors request	String	^[A-Za-z0-9_]{1,50}\$	Yes	example: delivery
purpose	Purpose of the declaration. \ This information is only editable if the declaration's activity sector is not 'delivery'. For 'delivery', default value is 'continuous'.	String	Enum - specific continuous	Yes	
status	Code of the RefData, all accepted values can be fetched by /refData/declarationStatuses request	String	^[A-Za-z0-9_]{1,50}\$	Yes	example: active

Example

```
{
  "criteria": {
    "id": "1Y1012345678P",
    "activitySector": [
      "delivery"
    ],
    "purpose": "continuous",
    "status": [
      "active"
    ],
  },
}
```

DeclarationSearchCriteria**Description**

Criteria to search a declaration

Properties

Properties	Description	Type	Format	Nullable	Information
id	Reference of a particular declaration ; must contain 13 characters (digits or letters (no 'i' and 'o'))	String(13)	^[A-HJ-NP-Z0-9]{13}\$	Yes	Example: 1Y1012345678P
activitySector	Code of the RefData, all accepted values can be fetched by /refData/declarationActivitySectors request	String	^[A-Za-z0-9_]{1,50}\$	Yes	example: delivery
purpose	Purpose of the declaration. \ This information is only editable if the declaration's activity sector is not 'delivery'. For 'delivery', default value is 'continuous'.	String	Enum - specific continuous	Yes	
status	Code of the RefData, all accepted values can be fetched by /refData/declarationStatuses request	String	^[A-Za-z0-9_]{1,50}\$	Yes	example: active
workRisks	Code of the RefData, all accepted values can be fetched by /refData/workRisks request	String	^[A-Za-z0-9_]{1,50}\$	Yes	example: asbestos
presenceRegistrationRequired		Boolean		Yes	
postalCode		String	minLength: 1	No	example: 4340
municipality		String	minLength: 1	No	example: Awans
street		String	minLength: 1	No	example: Rue de Bruxelles
Actor	Search criteria based on the involvement of an actor in the declaration. If multiple criteria are provided, the declaration must match all of them to be included in the search results.	Array		Yes	
role		String	Enum: - orderer - contractor - subcontractor - coordinator - any	No	
startDate		String	Date	Yes	
endDate		String	Date	Yes	
dateConcerned		String	Enum:	Yes	

			- creation - contractStart contractActivityPeriod		
--	--	--	---	--	--

Example

```
{
  "criteria": {
    "id": "1Y1012345678P",
    "activitySector": [
      "delivery"
    ],
    "purpose": "continuous",
    "status": [
      "active"
    ],
    "workRisks": [
      "asbestos"
    ],
    "presenceRegistrationRequired": true,
    "mainPlaceOfWork": {
      "postalCode": "4340",
      "municipality": "Awans",
      "street": "Rue de Bruxelles"
    },
    "actor": [
      {
        "type": "organization",
        "identifier": {
          "type": "enterpriseNumber",
          "value": "0450905686"
        },
        "name": "string",
        "role": "contractor"
      }
    ],
    "startDate": "2026-07-29",
    "endDate": "2026-07-29",
    "dateConcerned": "contractActivityPeriod"
  },
}
```

DeclarationSort**Description**

Represent an entity in the service supply chain, either as a service provider, a subordinate or a subcontractor

Properties

Properties	Description	Type	Format	Nullable	Information
direction	Sorting direction of the search results	String	Enum: - asc - desc	Yes	
property	Property on which to sort	String	Enum: - id	No	Default: id

Example

```
"sort": {  
  "direction": "asc",  
  "property": "id"  
}
```

DeclarationStatus**Description**

Ref data ; code & its i18n labels (FR/NL/DE/EN)

Properties

Properties	Description	Type	Format	Nullable	Information
code	Code of the RefData, all accepted values can be fetched by /refData/declarationStatuses request	String	^[A-Za-z0-9_]{1,50}\$	Yes	example: active
label		Object (LocalizedString)		Yes	

Example

```
{
  "items": [
    {
      "code": "active",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

DeclarationStatusList**Description**

List of declarations

Example

```
{
  "items": [
    {
      "code": "active",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

DeclarationUpdate**Description**

Represent an entity in the service supply chain, either as a service provider, a subordinate or a subcontractor

Properties

Properties	Description	Type	Format	Nullable	Information
id	Reference of a particular declaration ; must contain 13 characters (digits or letters (no 'i' and 'o'))	String(13)	^[A-HJ-NP-Z0-9]{13}\$	Yes	Example: 1Y1012345678P
activitySector	Code of the RefData, all accepted values can be fetched by /refData/declarationActivitySectors request	String	^[A-Za-z0-9_]{1,50}\$	Yes	example: delivery
purpose	Purpose of the declaration. \ This information is only editable if the declaration's activity sector is not 'delivery'. For 'delivery', default value is 'continuous'.	String	Enum - specific - continuous	Yes	
mainPlaceOfWork	Main place of work of the declaration. \ This information is only available if the declaration's activity sector is not 'delivery'.	Object (Address)		Yes	
orderer	This field is used only when ordererIsAlsoContractor is false. This information is only available if the declaration's activity sector is not 'delivery'	Object (Actor)		Yes	
coordinators	List of coordinators involved in the declaration. Only one coordinator per type is allowed. \ This information is mandatory if the declaration's activity sector is 'real estate'.	Object (Coordinator)	Array	Yes	
buildingUsage	Building usage of the declaration. \ This information is mandatory if the declaration's activity sector is 'real estate'.	String		Yes	example: 01
customInternalReference	Free text field allowing entry of another declaration reference, just for information. \ This information is only available if the declaration's activity sector is not 'delivery'	String		Yes	
presenceRegistrationRequired	Indicates that presence registration is required for the declaration. \ This information is mandatory if the declaration's activity sector is 'real estate'.	Boolean		Yes	
publicProcurement	Indicates that the declaration is related to a public procurement contract. \ This information is mandatory	Boolean		Yes	

	if the declaration's activity sector is 'moving', 'real estate' or 'security'.				
confidential	Indicates that the declaration is confidential. \ This information is only available if the declaration's activity sector is 'security'.	Boolean		Yes	

Example

```
{
  "purpose": "continuous",
  "mainPlaceOfWork": {
    "countryNisCode": 150,
    "postCode": "4340",
    "municipality": "Awans",
    "street": "Rue de Bruxelles",
    "houseNumber": 174,
    "boxNumber": "A"
  },
  "coordinators": [
    {
      "actor": {
        "type": "organization",
        "identifier": {
          "type": "enterpriseNumber",
          "value": "0450905686"
        },
        "name": "string",
        "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
        "address": {
          "countryNisCode": 150,
          "postCode": "4340",
          "municipality": "Awans",
          "street": "Rue de Bruxelles",
          "houseNumber": 174,
          "boxNumber": "A"
        }
      },
      "type": "project_owner_design"
    }
  ],
  "buildingUsage": "01",
  "customInternalReference": "string",
  "presenceRegistrationRequired": true,
  "publicProcurement": true,
  "confidential": true
}
```

LocalizedString**Description**

A description specified in multiple languages

Properties

Properties	Description	Type	Format	Nullable	Information
nl	Description in Dutch	String		Yes	
fr	Description in French	String		Yes	
de	Description in German	String		Yes	
en	Description in English	String		Yes	

Example

```
{
  "nl": "string",
  "fr": "string",
  "de": "string",
  "en": "string"
}
```

MainPlaceOfWork

Description

Represent an address

Properties

Properties	Description	Type	Format	Nullable	Information
postCode	Postal code	String	minLength: 1	Yes	example: 4340
municipality	Municipality	String	minLength: 1	Yes	example: Awans
street	Street name	String	minLength: 1	Yes	example: Rue de Bruxelles
houseNumber	House number	String	minLength: 1	Yes	example: 174
boxNumber	Postbox	String	minLength: 1	Yes	example: A
isSpecific	Whether this main place of work is specific. If false, the work is mobile	Boolean		Yes	
noExactAddress	Indicates that no exact address is available	Boolean		Yes	
isInBelgium	Indicates that the place of work is in Belgium	Boolean		Yes	Default: true
remark	Free-text remark about the place of work	String	minLength: 1 maxLength: 255	Yes	

Example

```
"mainPlaceOfWork": {  
  "postCode": "4340",  
  "municipality": "Awans",  
  "street": "Rue de Bruxelles",  
  "houseNumber": "174",  
  "boxNumber": "A",  
  "isSpecific": true,  
  "noExactAddress": true,  
  "isInBelgium": true,  
  "remark": "string"  
},
```

Problem**Description**

A Problem Details object (RFC 7807)

Properties

Properties	Description	Type	Format	Nullable	Information
type	An absolute URI that identifies the problem type	String(\$uri)		Yes	
href	An absolute URI that, when dereferenced, provides human-readable documentation for the problem type (e.g. using HTML)	String(\$uri)		Yes	
title	A short summary of the problem type. Written in English and readable for engineers (usually not suited for non technical stakeholders and not localized)	String		Yes	
status	The HTTP status code generated by the origin server for this occurrence of the problem	integer(\$int32)	minimum: 400 maximum: 600 exclusiveMaximum: true	Yes	
detail	A human-readable explanation specific to this occurrence of the problem	String		Yes	
instance	An absolute URI that identifies the specific occurrence of the problem. It may or may not yield further information if dereferenced	String(\$uri)		Yes	
issues	An array of all issues encountered with the request			Yes	

Example

```
{
  "type": "urn:problem-type:belgif:payloadTooLarge",
  "href": "https://www.belgif.be/specification/rest/api-guide/problems/payloadTooLarge.html",
  "title": "Payload Too Large",
  "status": 413,
  "detail": "Request message must not be larger than 10 MB",
  "instance": "urn:uuid:123e4567-e89b-12d3-a456-426614174000",
  "limit": 10485760,
  "issues": [
    {
      "in": "body",
      "detail": "[Path '/items/0/actor'] ECMA 262 regex \"^[A-HJ-NP-Z0-9]{13}$\" does not match input string \"1Y1-A123456-7L-Z\"",
      "name": "/items/0/actor",
      "value": "1Y1-A123456-7L-Z"
    }
  ]
}
```

Remark**Description**

Representation of a remark

Properties

Properties	Description	Type	Format	Nullable	Information
code	Reference of a remark	String		Yes	Example: UNKNOWN_ENTERPRISE
description	Description of the remark. Translated according to the Accept-Language HTTP header, with French as the default locale.	String		Yes	Example: The enterprise does not exist in the CBE.
resolution	A suggested course of action that can help address the issue. This field may be empty. This field contains HTML content. Translated according to the Accept-Language HTTP header, with French as the default locale.	String		Yes	Example: Change the enterprise responsible for this subcontracting relationship

Example

```
{
  "code": "UNKNOWN_ENTERPRISE",
  "description": "The enterprise does not exist in the CBE.",
  "resolution": "<a href=\"https://example.com/how-to-change-enterprise\">Change the enterprise responsible for this subcontracting relationship</a>"
}
```

RemarkDetailRef**Description**

Ref data ; code, its i18n description & its i18n resolution (FR/NL/DE/EN)

Properties

Properties	Description	Type	Format	Nullable	Information
code	Code of the RefData, all accepted values can be fetched by /refData/Remarks request	String	^(?=.{1,50}\$)([a-z0-9][a-z0-9_]*)\$	Yes	
description	A description specified in multiple languages	Object (LocalizedString)		Yes	
resolution	A description specified in multiple languages	Object (LocalizedString)		Yes	

Example

```
{
  "code": "actor_bankruptcy",
  "description": {
    "nl": "string",
    "fr": "string",
    "de": "string",
    "en": "string"
  },
  "resolution": {
    "nl": "string",
    "fr": "string",
    "de": "string",
    "en": "string"
  }
}
```

RemarkList

Description

List of remarks

Properties

Properties	Description	Type	Format	Nullable	Information
remarks	Representation of a remark	Object (Remark)		Yes	

Example

```
{
  "remarks": [
    {
      "code": "UNKNOWN_ENTERPRISE",
      "description": "The enterprise does not exist in the CBE.",
      "resolution": "<a href=\"https://example.com/how-to-change-enterprise\">Change the enterprise responsible for this subcontracting relationship</a>"
    }
  ]
}
```

RemarkRef**Description**

Ref data ; code & its i18n description (FR/NL/DE/EN)

Properties

Properties	Description	Type	Format	Nullable	Information
code	Code of the RefData, all accepted values can be fetched by /refData/Remarks request	String	^(?=.{1,50}\$)([a-z0-9][a-z0-9_]*)\$	Yes	
description	A description specified in multiple languages	Object (LocalizedString)		Yes	

Example

```
{
  "code": "actor_bankruptcy",
  "description": {
    "nl": "string",
    "fr": "string",
    "de": "string",
    "en": "string"
  }
}
```

RemarkRefList**Description**

Ref data ; code & its i18n description (FR/NL/DE/EN)

Properties

Properties	Description	Type	Format	Nullable	Information
item	List of available Remarks	Array (RemarkRef)		Yes	

Example

```
{
  "items": [
    {
      "code": "actor_bankruptcy",
      "description": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

SearchResultPage**Description**

Pagination details of the search results

Properties

Properties	Description	Type	Format	Nullable	Information
first	Absolute URI to the first page	string	uri		readonly
last	Absolute URI to the last page	string	uri		readonly
prev	Absolute URI to the previous page	string	uri		readonly
next	Absolute URI to the next page	string	uri		readonly
page	Current page number	integer	int32		Default 1
pageSize	(Maximum) Number of elements in a single page	integer	int32		Default 50
total	Total number of result	integer	Int64		
totalPages	Total number of pages	integer	int32		

Example

```
{  
  "first": "string",  
  "last": "string",  
  "prev": "string",  
  "next": "string",  
  "page": 0,  
  "pageSize": 0,  
  "total": 0,  
  "totalPages": 0,  
}
```

SubcontractingRelationship**Description**

Represent a subcontracting relationship

Properties

Properties	Description	Type	Format	Nullable	Information
parent	The parent id must be linked to a company other than the one concerned by this relationship.	Object (SubcontractingRelationshipParent)		Yes	
startDate	The start date must fall within the intervention period of the parent relationship (if any). Can be in the past, but must respect the date rule above.	String(\$date)		No	
endDate	Mandatory if the purpose of the declaration is "specific". The end date must fall within the intervention period of the parent relationship (if any). Cannot be before the start date.	String(\$date)		Yes	
workRisks	List of work risks involved in the subcontracting relationship. \ This information is only available if the declaration's activity sector is 'real estate'.	Array (WorkRiskCode)		Yes	
subcontractorActivities	List of subcontractor activities involved in the subcontracting relationship. Minimum one activity is required. \ This information is only available if the declaration's activity sector is 'real estate'.	Array (SubcontractorActivityCode)		Yes	
id	Reference of a subcontracting relationship	String	^[a-z0-9]+\.[a-z0-9]+)*\$	Yes	Example: wbqyn68.pm9vk
contractId	Reference of a contract	String	^[A-HJ-NP-Z0-9]{13}/\d+\$	Yes	example: 1Y1012345678P/1

subContractor	If the parent is empty, the subContractor represents the contractor linked to the main contract.	Object (Actor)			
----------------------	--	----------------	--	--	--

Example

```
{
  "parent": {
    "id": "wbqyn68.pm9vk",
    "subContractor": {
      "type": "organization",
      "identifier": {
        "type": "enterpriseNumber",
        "value": "0450905686"
      },
      "name": "string",
      "language": "fr",
      "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
      "address": {
        "postCode": "4340",
        "municipality": "Awans",
        "street": "Rue de Bruxelles",
        "houseNumber": "174",
        "boxNumber": "A",
        "countryNisCode": 150
      }
    }
  },
  "startDate": "2026-10-21",
  "endDate": "2026-10-21",
  "workRisks": [
    "asbestos"
  ],
  "subcontractorActivities": [
    "maintenance"
  ],
  "id": "wbqyn68.pm9vk",
  "contractId": "1Y1012345678P/1",
  "subContractor": {
    "type": "organization",
    "identifier": {
      "type": "enterpriseNumber",
      "value": "0450905686"
    },
    "name": "string",
    "language": "fr",
    "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
    "address": {
```

```
    "postCode": "4340",  
    "municipality": "Awans",  
    "street": "Rue de Bruxelles",  
    "houseNumber": "174",  
    "boxNumber": "A",  
    "countryNisCode": 150  
  }  
}  
]  
}
```

SubcontractingRelationshipBase**Description**

Criteria to search contracts

Properties

Properties	Description	Type	Format	Nullable	Information
parent	The parent id must be linked to a company other than the one concerned by this relationship.	Object (SubcontractingRelationshipParent)		Yes	
startDate	The start date must fall within the intervention period of the parent relationship (if any). Can be in the past, but must respect the date rule above.	String(\$date)		No	
endDate	Mandatory if the purpose of the declaration is "specific". The end date must fall within the intervention period of the parent relationship (if any). Cannot be before the start date.	String(\$date)		Yes	
workRisks	List of work risks involved in the subcontracting relationship. \ This information is only available if the declaration's activity sector is 'real estate'.	Array (WorkRiskCode)		Yes	
subcontractorActivities	List of subcontractor activities involved in the subcontracting relationship. Minimum one activity is required. \ This information is only available if the declaration's activity sector is 'real estate'.	Array (SubcontractorActivityCode)		Yes	

Example

```
{
  "parent": {
    "id": "wbqyn68.pm9vk",
    "subContractor": {
      "type": "organization",
      "identifier": {
        "type": "enterpriseNumber",
        "value": "0450905686"
      },
      "name": "string",
      "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
      "address": "string"
    }
  }
}
```

```
},  
"startDate": "2026-07-29",  
"endDate": "2026-07-29",  
"workRisks": [  
  "asbestos"  
],  
"subcontractorActivities": [  
  "maintenance"  
],
```

SubcontractingRelationshipCreation**Description**

Data required to create a subcontracting relationship

Properties

Properties	Description	Type	Format	Nullable	Information
parent	The parent id must be linked to a company other than the one concerned by this relationship.	Object (SubcontractingRelationshipParent)		No	
startDate	The start date must fall within the intervention period of the parent relationship (if any). Can be in the past, but must respect the date rule above.	String(\$date)		No	
endDate	Mandatory if the purpose of the declaration is "specific". The end date must fall within the intervention period of the parent relationship (if any). Cannot be before the start date.	String(\$date)		Yes	
workRisks	List of work risks involved in the subcontracting relationship. \ This information is only available if the declaration's activity sector is 'real estate'.	Array (WorkRiskCode)		Yes	
subcontractorActivities	List of subcontractor activities involved in the subcontracting relationship. Minimum one activity is required. \ This information is only available if the declaration's activity sector is 'real estate'.	Array (SubcontractorActivityCode)		Yes	
subContractor	Represent an entity in the service supply chain, either as a service provider, a subordinate or a subcontractor.	Object (Actor)		No	

Example

```
{
  "parent": {
    "id": "wbqyn68.pm9vk"
  },
  "startDate": "2026-07-29",
  "endDate": "2026-07-29",
  "workRisks": [
    "asbestos"
  ],
  "subcontractorActivities": [
    "maintenance"
  ]
}
```

```
],
"subContractor": {
  "type": "organization",
  "identifier": {
    "type": "enterpriseNumber",
    "value": "0450905686"
  },
},
"name": "string",
"justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
"address": {
  "countryNisCode": 150,
  "postCode": "4340",
  "municipality": "Awans",
  "street": "Rue de Bruxelles",
  "houseNumber": 174,
  "boxNumber": "A"
}
}
```

SubcontractingRelationshipPage

Description

List of subcontracting relationships paginated

Properties

Properties	Description	Type	Format	Nullable	Information
SearchResultPage	Pagination details of the search results	Object (SearchResultPage)			
Items	List of search results	Array (SubcontractingRelationship)			

Example

```
{
  "first": "string",
  "last": "string",
  "prev": "string",
  "next": "string",
  "page": 0,
  "pageSize": 0,
  "total": 0,
  "totalPages": 0,
  "items": [
    {
      "parent": {
        "id": "wbqyn68.pm9vk",
        "subContractor": {
          "enterpriseNumber": "0406798006",
          "name": "string"
        }
      },
      "startDate": "2025-06-05",
      "endDate": "2025-06-05",
      "id": "wbqyn68.pm9vk",
      "subContractor": {
        "enterpriseNumber": "0406798006",
        "name": "string"
      }
    }
  ]
}
```

SubcontractingRelationshipParent**Description**

The parent id must be linked to a company other than the one concerned by this relationship.

Properties

Properties	Description	Type	Format	Nullable	Information
id	Reference of a subcontracting relationship	String	^[a-z0-9]+\.[a-z0-9]+)*\$	No	example: wbqyn68.pm9vk
subContractor	Represent an entity in the service supply chain, either as a service provider, a subordinate or a subcontractor.	Object (Actor)		Yes	

Example

```
"id": "wbqyn68.pm9vk",  
"subContractor": {  
  "enterpriseNumber": "0206731645",  
  "name": "string"  
}
```

SubcontractingRelationshipSearch

Description

Search criteria for a subcontracting relationship

Properties

Properties	Description	Type	Format	Nullable	Information
criteria	Search criteria used to identify the desired search results	Object (SubcontractingRelationshipSearchCriteria)		No	

Example

```
{
  "criteria": {
    "id": "wbqyn68.pm9vk",
    "declaration": {
      "id": "1Y1012345678P",
      "activitySector": [
        "delivery"
      ],
      "purpose": "continuous",
      "status": [
        "active"
      ]
    },
    "contract": {
      "id": "1Y1012345678P/1",
      "status": [
        "active"
      ]
    },
    "parent": {
      "id": "wbqyn68.pm9vk"
    },
    "actor": [
      {
        "type": "organization",
        "identifier": {
          "type": "enterpriseNumber",
          "value": "0450905686"
        },
        "name": "string",
        "role": "contractor"
      }
    ]
  }
}
```

SubcontractingRelationshipSearchCriteria**Description**

Search criteria for a subcontracting relationship

Properties

Properties	Description	Type	Format	Nullable	Information
id	Reference of a subcontracting relationship	String	^[a-z0-9]+(\.[a-z0-9]+)*\$	Yes	Example: wbqyn68.pm9vk
declaration	Criteria to search declaration	Object (DeclarationSearchCriteriaBase)		Yes	
contract	Reference of a contract (starts the same way as the declaration's suffixed with an incremental index)	Object (ContractSearchCriteriaBase)		Yes	
parent	The parent id must be linked to a company other than the one concerned by this relationship.	Object (SubcontractingRelationshipParent)		Yes	
actor	Search criteria based on the involvement of an actor in the subcontracting relationship. If multiple criteria are provided, the relationship must match all of them to be included in the search results.	Object (ActorBase)		Yes	
role		String	Enum: - contractor - parent - subcontractor	No	

Example

```
{
  "criteria": {
    "id": "wbqyn68.pm9vk",
    "declaration": {
      "id": "1Y1012345678P",
      "activitySector": [
        "delivery"
      ],
      "purpose": "continuous",
      "status": [
        "active"
      ]
    }
  }
}
```

```
  },
  "contract": {
    "id": "1Y1012345678P/1",
    "status": [
      "active"
    ]
  },
  "parent": {
    "id": "wbqyn68.pm9vk"
  },
  "actor": [
    {
      "type": "organization",
      "identifier": {
        "type": "enterpriseNumber",
        "value": "0450905686"
      },
      "name": "string",
      "role": "contractor"
    }
  ]
}
```

SubcontractingRelationshipUpdate**Description**

Data required to update a subcontracting relationship

Properties

Properties	Description	Type	Format	Nullable	Information
parent	The parent id must be linked to a company other than the one concerned by this relationship.	Object (SubcontractingRelationshipParent)		No	
startDate	The start date must fall within the intervention period of the parent relationship (if any). Can be in the past, but must respect the date rule above.	String(\$date)		No	
endDate	Mandatory if the purpose of the declaration is "specific". The end date must fall within the intervention period of the parent relationship (if any). Cannot be before the start date.	String(\$date)		Yes	
workRisks	List of work risks involved in the subcontracting relationship. \ This information is only available if the declaration's activity sector is 'real estate'.	String	^[A-Za-z0-9_]{1,50}\$	Yes	example: asbestos
subcontractorActivities	List of subcontractor activities involved in the subcontracting relationship. Minimum one activity is required. \ This information is only available if the declaration's activity sector is 'real estate'.	String	^[A-Za-z0-9_]{1,50}\$	Yes	example: maintenance
subContractor	Represent an entity in the service supply chain, either as a service provider, a subordinate or a subcontractor.	Object (Actor)		Yes	

Example

```

"parent": {
  "id": "wbqyn68.pm9vk"
},
"startDate": "2026-07-30",
"endDate": "2026-07-30",
"workRisks": [
  "asbestos"

```

```
],  
"subcontractorActivities": [  
  "maintenance"  
]  
}
```

SubcontractingRelationshipsNode**Description**

Contains specific information regarding the subcontracting relationship and the hierarchical position of each relationship within the chain of subcontractors.

Properties

Properties	Description	Type	Format	Nullable	Information
id	Reference of a subcontracting relationship	String	pattern: ^[a-z0-9]+(\.[a-z0-9]+)*\$	No	example: wbqyn68.pm9vk
subcontractor	Represent an entity of subcontractor in the supply chain	Object (ActorBase)		Yes	
children	List of child subcontractors of the given subcontractor	Object (SubcontractingRelationshipsNode)		Yes	

Example

```
"subcontractingRelationship": {
  "id": "wbqyn68.pm9vk",
  "subContractor": {
    "type": "organization",
    "identifier": {
      "type": "enterpriseNumber",
      "value": "0450905686"
    },
    "name": "string"
  },
  "children": []
}
```

SubcontractorActivity**Description**

Ref data ; code & its i18n labels (FR/NL/DE/EN)

Properties

Properties	Description	Type	Format	Nullable	Information
Code	Code of the RefData, all accepted values can be fetched by /refData/subcontractorActivities request	String	pattern: ^[A-Za-z0-9_]{1,50}\$	Yes	example: maintenance
label		Object (LocalizedString)		Yes	

Example

```
{
  "items": [
    {
      "code": "maintenance",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

SubcontractorActivityList**Description**

List of subcontractor activities

Properties

Properties	Description	Type	Format	Nullable	Information
items		Array (SubcontractorActivity)		Yes	

Example

```
{
  "items": [
    {
      "code": "maintenance",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

TemporaryEnterprise**Description**

Temporary company composed of a group of existing enterprises working together.

Properties

Properties	Description	Type	Format	Nullable	Information
enterpriseNumber	Identifier issued by CBE for a registered organization (must be valid) https://economie.fgov.be/fr/themes/entreprises/banque-carrefour-des/actualites/structure-du-numero	String	pattern: ^[0-1]\d{9}\$	Yes	example: 0406798006

Example

```
{  
  "temporaryEnterprise": {  
    "enterpriseNumber": "0406798006"  
  },  
}
```

WorkActivity**Description**

Ref data ; code & its i18n labels (FR/NL/DE/EN)

Properties

Properties	Description	Type	Format	Nullable	Information
code	Code of the RefData, all accepted values can be fetched by /refData/workActivities request	String	pattern: ^[A-Za-z0-9_]{1,50}\$	Yes	example: scaffolding_installation
label		Object (LocalizedString)		Yes	

Example

```
{
  "items": [
    {
      "code": "scaffolding_installation",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

WorkActivityList**Description**

List of work activity codes

Properties

Properties	Description	Type	Format	Nullable	Information
items		Array (WorkActivity)		Yes	

Example

```
{
  "items": [
    {
      "code": "scaffolding_installation",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

WorkRisk**Description**

Ref data ; code & its i18n labels (FR/NL/DE/EN)

Properties

Properties	Description	Type	Format	Nullable	Information
code	Code of the RefData, all accepted values can be fetched by /refData/workRisks request	String	pattern: ^[A-Za-z0-9_]{1,50}\$	Yes	example: asbestos
label		Object (LocalizedString)		Yes	

Example

```
{
  "items": [
    {
      "code": "asbestos",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

WorkActivityList**Description**

List of work risk codes

Properties

Properties	Description	Type	Format	Nullable	Information
items		Array (WorkRisk)		Yes	

Example

```
{
  "items": [
    {
      "code": "asbestos",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

Description of endpoints

Declarations

POST /Declarations

Create a new declaration along with a new contract and its corresponding subcontracting relationship and establish a link between them

Request Body

The DeclarationCreation object is to be used which is composed of declaration related information and contract related information

declaration:

The declaration information is necessary for Catena to identify the type of works which are being declared. This information can influence which information is required in other objects.

Properties	Required	Information
activitySector	Yes	Values can be obtained via refData call example: delivery pattern: ^[A-Za-z0-9_]{1,50}\$
purpose	Yes	Possible values: - continuous - specific In case the context = delivery the purpose is required to be continuous
mainPlaceOfWork	Yes	Uses the MainPlaceOfWork Object
orderer	Yes	Uses the Actor Object
coordinators	Yes	Uses the Actor Object
buidlingUsage	Yes	Values can be obtained via refData call example: 01
customInternalReference	No	Free text field
presenceRegistrationRequired	Yes	
confidential	No	Only if sector is security
ordererIsAlsoContractor	No	This information is only available if the declaration's activity sector is not 'delivery' and is mandatory if the declaration's activity sector is 'meat'

contract:

The *contract* object covers the details regarding the contract

Properties	Required	Information
temporaryEnterprise	No	Cross-checked with the CBE to validate its authenticity
signatureDate	Yes	Should be greater or equal to the creationDate and less or equal to the start date of the works. This information is only available and mandatory if the declaration's activity sector is not 'delivery'.
workStartDate	Yes	Start date of the works of the contract. Can be in the past but this will result in a remark. This information is only available and mandatory if the declaration's activity sector is not

		'delivery'.
workEndDate	Yes	End date of the works of the contract. Cannot be before the start date of the works. This information is only available and mandatory if the declaration's activity sector is not 'delivery'.
declarationNeededAtTheStartOfWork	Yes	Indicates that the subcontracting relationship declaration is needed at the start of the work. This information is only available if the declaration's activity sector is 'real estate'.
amount	Yes	Total amount of the contract in Euro cents. Should be positive. This information is only available and mandatory if the declaration's activity sector is not 'delivery'.
timeAndMaterials	Yes	Indicates that the amount is not definitive. This information is only available if the declaration's activity sector is not 'delivery'.
customInternalReference	No	Free text field. This information is only available if the declaration's activity sector is not 'delivery'.
workRisks	No	List of work risks involved in the contract. This information is only available if the declaration's activity sector is 'real estate'.
workActivities	Yes	List of work activities involved in the contract. Minimum one activity is required. This information is only available if the declaration's activity sector is 'real estate'.
contractor	Yes	Uses the Actor Object
contact	Yes	Optional: contact details can be provided which can be used by NOSS to contact the declaring entity.

Request example

```
{
  "declaration": {
    "activitySector": "delivery",
    "purpose": "continuous",
    "mainPlaceOfWork": {
      "countryNisCode": 150,
      "postCode": "4340",
      "municipality": "Awans",
      "street": "Rue de Bruxelles",
      "houseNumber": 174,
      "boxNumber": "A"
    },
    "orderer": {
      "type": "organization",
      "identifier": {
        "type": "enterpriseNumber",
        "value": "0450905686"
      },
      "name": "string",
      "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
      "address": {
        "countryNisCode": 150,
        "postCode": "4340",
        "municipality": "Awans",
        "street": "Rue de Bruxelles",
        "houseNumber": 174,
        "boxNumber": "A"
      }
    },
    "coordinators": [
      {
        "actor": {
          "type": "organization",
          "identifier": {
            "type": "enterpriseNumber",
            "value": "0450905686"
          },
          "name": "string",
          "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",

```

```

        "address": {
            "countryNisCode": 150,
            "postCode": "4340",
            "municipality": "Awans",
            "street": "Rue de Bruxelles",
            "houseNumber": 174,
            "boxNumber": "A"
        },
        "type": "project_owner_design"
    },
    "buildingUsage": "01",
    "customInternalReference": "string",
    "presenceRegistrationRequired": true,
    "publicProcurement": true,
    "confidential": true,
    "ordererIsAlsoContractor": true
},
"contract": {
    "temporaryEnterprise": {
        "enterpriseNumber": "0406798006"
    },
    "signatureDate": "2026-07-30",
    "workStartDate": "2026-07-30",
    "workEndDate": "2026-07-30",
    "declarationNeededAtTheStartOfWork": true,
    "amount": 1234567,
    "timeAndMaterials": true,
    "customInternalReference": "string",
    "workRisks": [
        "asbestos"
    ],
    "workActivities": [
        "scaffolding_installation"
    ],
    "contact": {
        "givenName": "John",
        "familyName": "Doe",
        "telephone": "+32 475 12 34 56",
        "email": "johnDoe@outlook.com"
    },
    "comment": "Comment of the contract",
    "contractor": {
        "type": "organization",
        "identifier": {
            "type": "enterpriseNumber",
            "value": "0450905686"
        },
        "name": "string",
        "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
        "address": {
            "countryNisCode": 150,
            "postCode": "4340",
            "municipality": "Awans",
            "street": "Rue de Bruxelles",
            "houseNumber": 174,
            "boxNumber": "A"
        },
        "email": "user@example.com"
    }
}
}
}

```

Response Example

```

{
  "declaration": {
    "id": "1Y1012345678P",
    "activitySector": "delivery",
    "purpose": "continuous",
    "mainPlaceOfWork": {
      "countryNisCode": 150,
      "postCode": "4340",
      "municipality": "Awans",
      "street": "Rue de Bruxelles",
      "houseNumber": 174,
      "boxNumber": "A"
    },
    "orderer": {
      "type": "organization",
      "identifier": {
        "type": "enterpriseNumber",
        "value": "0450905686"
      },
      "name": "string",
      "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
      "address": {
        "countryNisCode": 150,
        "postCode": "4340",
        "municipality": "Awans",
        "street": "Rue de Bruxelles",
        "houseNumber": 174,
        "boxNumber": "A"
      }
    },
    "coordinators": [
      {
        "actor": {
          "type": "organization",
          "identifier": {
            "type": "enterpriseNumber",
            "value": "0450905686"
          },
          "name": "string",
          "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
          "address": "string"
        },
        "type": "project_owner_design"
      }
    ],
    "buildingUsage": "01",
    "customInternalReference": "string",
    "presenceRegistrationRequired": true,
    "publicProcurement": true,
    "confidential": true
  },
  "contract": {
    "temporaryEnterprise": {
      "enterpriseNumber": "0406798006"
    },
    "signatureDate": "2026-07-30",
    "workStartDate": "2026-07-30",
    "workEndDate": "2026-07-30",
    "declarationNeededAtTheStartOfWork": true,
    "amount": 1234567,
    "timeAndMaterials": true,
    "customInternalReference": "string",
    "workRisks": [
      "asbestos"
    ],
    "workActivities": [
      "scaffolding_installation"
    ]
  }
}

```

```
],
"contact": {
  "givenName": "John",
  "familyName": "Doe",
  "telephone": "+32 475 12 34 56",
  "email": "johnDoe@outlook.com"
},
"comment": "Comment of the contract",
"id": "1Y1012345678P/1",
"subcontractingRelationshipId": "wbqyn68.pm9vk",
"contractor": {
  "type": "organization",
  "identifier": {
    "type": "enterpriseNumber",
    "value": "0450905686"
  },
  "name": "string",
  "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
  "address": {
    "countryNisCode": 150,
    "postCode": "4340",
    "municipality": "Awans",
    "street": "Rue de Bruxelles",
    "houseNumber": 174,
    "boxNumber": "A"
  },
  "email": "user@example.com"
},
"declarationId": "1Y1012345678P"
}
```

PUT/declarations/{declarationId}

Update a declaration

Parameters

A declarationId is to be provided to uniquely identify the declaration.

The values it to be provided directly into the URL

Request Body

The DeclarationUpdate object is used. This contains following properties

Properties	Required	Information
purpose	Yes	Possible values: - continuous - specific In case the context = delivery the purpose is required to be continuous
mainPlaceOfWork	Yes	Uses the MainPlaceOfWork Object
coordinators	Yes	Uses the Actor Object
buidlingUsage	Yes	Values can be obtained via refData call example: 01
customInternalReference	No	Free text field
presenceRegistrationRequired	Yes	
publicProcurement	No	Indicates that the declaration is related to a public procurement contract. \ This information is mandatory if the declaration's activity sector is 'moving', 'real estate' or 'security'.
confidential	No	Indicates that the declaration is confidential. \ This information is only available if the declaration's activity sector is 'security'.

Request Example

```
{
  "purpose": "continuous",
  "mainPlaceOfWork": {
    "countryNisCode": 150,
    "postCode": "4340",
    "municipality": "Awans",
    "street": "Rue de Bruxelles",
    "houseNumber": 174,
    "boxNumber": "A"
  },
  "coordinators": [
    {
      "actor": {
        "type": "organization",
        "identifier": {
          "type": "enterpriseNumber",
          "value": "0450905686"
        }
      },
      "name": "string",
      "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
      "address": {
        "countryNisCode": 150,
        "postCode": "4340",
        "municipality": "Awans",
        "street": "Rue de Bruxelles",
        "houseNumber": 174,
        "boxNumber": "A"
      }
    }
  ],
  "type": "project_owner_design"
}
```

```

    }
  ],
  "buildingUsage": "01",
  "customInternalReference": "string",
  "presenceRegistrationRequired": true,
  "publicProcurement": true,
  "confidential": true
}

```

Response Example

```

{
  "id": "1Y1012345678P",
  "activitySector": "delivery",
  "purpose": "continuous",
  "mainPlaceOfWork": {
    "countryNisCode": 150,
    "postCode": "4340",
    "municipality": "Awans",
    "street": "Rue de Bruxelles",
    "houseNumber": 174,
    "boxNumber": "A"
  },
  "orderer": {
    "type": "organization",
    "identifier": {
      "type": "enterpriseNumber",
      "value": "0450905686"
    },
    "name": "string",
    "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
    "address": {
      "countryNisCode": 150,
      "postCode": "4340",
      "municipality": "Awans",
      "street": "Rue de Bruxelles",
      "houseNumber": 174,
      "boxNumber": "A"
    }
  },
  "coordinators": [
    {
      "actor": {
        "type": "organization",
        "identifier": {
          "type": "enterpriseNumber",
          "value": "0450905686"
        },
        "name": "string",
        "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
        "address": "string"
      },
      "type": "project_owner_design"
    }
  ],
  "buildingUsage": "01",
  "customInternalReference": "string",
  "presenceRegistrationRequired": true,
  "publicProcurement": true,
  "confidential": true,
  "contractAmount": 0,
  "status": "active",
  "startDate": "2026-07-30",
  "endDate": "2026-07-30"
}

```

DELETE/declarations/{declarationId}

Delete a declaration

Parameters

The declarationId is to be provided to uniquely identify the declaration.

The value is to be provided directly into the URL.

Response Example

204 Removal was successful.

POST/declarations/search

Search declarations based on criteria passed in the request body, and return the related contracts and subcontracting relationships.

Parameters

Page and Page Size can be provided to apply pagination to the results

Request Body

The DeclarationSearch object is used. This contains following properties

Properties	Required	Information
id	No	pattern: ^[A-HJ-NP-Z0-9]{13}\$ example: 1Y1012345678P
activitySector	No	example: delivery pattern: ^[A-Za-z0-9_]{1,50}\$
purpose	No	example: continuous
status	No	example: active pattern: ^[A-Za-z0-9_]{1,50}\$
workRisks	No	example: asbestos pattern: ^[A-Za-z0-9_]{1,50}\$
presenceRegistrationRequired	No	
mainPlaceOfWork	No	Search criteria based on the main place of work of the declaration. If multiple criteria are provided, the declaration must match one of them to be included in the search results.
actor	No	Search criteria based on the involvement of an actor in the declaration. If multiple criteria are provided, the declaration must match all of them to be included in the search results.
startDate	No	
endDate	No	
dateConcerned	No	example: contractActivityPeriod

Request Example

```
{
  "criteria": {
    "id": "1Y1012345678P",
    "activitySector": [
      "delivery"
    ],
    "purpose": "continuous",
    "status": [
      "active"
    ],
    "workRisks": [
      "asbestos"
    ],
    "presenceRegistrationRequired": true,
    "mainPlaceOfWork": {
      "postalCode": "4340",
      "municipality": "Awans",
      "street": "Rue de Bruxelles"
    },
    "actor": [
      {
        "type": "organization",
        "identifier": {
          "type": "enterpriseNumber",
          "value": "0450905686"
        },
        "name": "string",
```

```

        "role": "contractor"
      }
    ],
    "startDate": "2026-07-30",
    "endDate": "2026-07-30",
    "dateConcerned": "contractActivityPeriod"
  },
  "sort": {
    "direction": "asc",
    "property": "id"
  }
}

```

Response Example

```

{
  "first": "string",
  "last": "string",
  "prev": "string",
  "next": "string",
  "page": 0,
  "pageSize": 0,
  "total": 0,
  "totalPages": 0,
  "items": [
    {
      "id": "1Y1012345678P",
      "activitySector": "delivery",
      "purpose": "continuous",
      "mainPlaceOfWork": {
        "countryNisCode": 150,
        "postCode": "4340",
        "municipality": "Awans",
        "street": "Rue de Bruxelles",
        "houseNumber": 174,
        "boxNumber": "A"
      },
      "orderer": {
        "type": "organization",
        "identifier": {
          "type": "enterpriseNumber",
          "value": "0450905686"
        },
        "name": "string",
        "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
        "address": {
          "countryNisCode": 150,
          "postCode": "4340",
          "municipality": "Awans",
          "street": "Rue de Bruxelles",
          "houseNumber": 174,
          "boxNumber": "A"
        }
      },
      "coordinators": [
        {
          "actor": {
            "type": "organization",
            "identifier": {
              "type": "enterpriseNumber",
              "value": "0450905686"
            },
            "name": "string",
            "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
            "address": {
              "countryNisCode": 150,
              "postCode": "4340",
              "municipality": "Awans",
              "street": "Rue de Bruxelles",
              "houseNumber": 174,
              "boxNumber": "A"
            }
          },

```

```
    }  
  },  
  "type": "project_owner_design"  
}  
],  
"buildingUsage": "01",  
"customInternalReference": "string",  
"presenceRegistrationRequired": true,  
"publicProcurement": true,  
"confidential": true,  
"contractAmount": 0,  
"status": "active",  
"startDate": "2026-07-30",  
"endDate": "2026-07-30"  
}  
]  
}
```

Contracts

POST/declarations/{declarationId}/contracts

Create a new contract and its corresponding subcontracting relationship

Parameters

The declarationId it to be provided as parameter in the URL

Request body

The ContractCreation object is used. This contains following elements

Properties	Required	Information
temporaryEnterprise	No	Cross-checked with the CBE to validate its authenticity
signatureDate	Yes	Signature date of the contract. Should be greater or equal to the creationDate and less or equal to the start date of the works. This information is only available and mandatory if the declaration's activity sector is not 'delivery'.
workStartDate	Yes	Start date of the works of the contract. Can be in the past but this will result in a remark. This information is only available and mandatory if the declaration's activity sector is not 'delivery'.
workEndDate	Yes	End date of the works of the contract. Cannot be before the start date of the works. This information is only available and mandatory if the declaration's activity sector is not 'delivery'.
declarationNeededAtTheStartOfWork	Yes	Indicates that the subcontracting relationship declaration is needed at the start of the work. This information is only available if the declaration's activity sector is 'real estate'
amount	Yes	Total amount of the contract in Euro cents. Should be positive. This information is only available and mandatory if the declaration's activity sector is not 'delivery'
timeAndMaterials	Yes	Indicates that the amount is not definitive. This information is only available if the declaration's activity sector is not 'delivery'.
customInternalReference	No	Free text field allowing entry of another contract reference, just for information. This information is only available if the declaration's activity sector is not 'delivery'.
workRisks	No	List of work risks involved in the contract. This information is only available if the declaration's activity sector is 'real estate'.
contact	Yes	
Contractor	Yes	

Request example

```
{
  "temporaryEnterprise": {
    "enterpriseNumber": "0406798006"
  },
  "signatureDate": "2026-07-30",
  "workStartDate": "2026-07-30",
  "workEndDate": "2026-07-30",
  "declarationNeededAtTheStartOfWork": true,
```

```

"amount": 1234567,
"timeAndMaterials": true,
"customInternalReference": "string",
"workRisks": [
  "asbestos"
],
"workActivities": [
  "scaffolding_installation"
],
"contact": {
  "givenName": "John",
  "familyName": "Doe",
  "telephone": "+32 475 12 34 56",
  "email": "johnDoe@outlook.com"
},
"comment": "Comment of the contract",
"contractor": {
  "type": "organization",
  "identifier": {
    "type": "enterpriseNumber",
    "value": "0450905686"
  },
  "name": "string",
  "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
  "address": {
    "countryNisCode": 150,
    "postCode": "4340",
    "municipality": "Awans",
    "street": "Rue de Bruxelles",
    "houseNumber": 174,
    "boxNumber": "A"
  },
  "email": "user@example.com"
}
}

```

Response Example

```

{
  "temporaryEnterprise": {
    "enterpriseNumber": "0406798006"
  },
  "signatureDate": "2026-07-30",
  "workStartDate": "2026-07-30",
  "workEndDate": "2026-07-30",
  "declarationNeededAtTheStartOfWork": true,
  "amount": 1234567,
  "timeAndMaterials": true,
  "customInternalReference": "string",
  "workRisks": [
    "asbestos"
  ],
  "workActivities": [
    "scaffolding_installation"
  ],
  "contact": {
    "givenName": "John",
    "familyName": "Doe",
    "telephone": "+32 475 12 34 56",
    "email": "johnDoe@outlook.com"
  },
  "comment": "Comment of the contract",
  "id": "1Y1012345678P/1",
  "contractor": {
    "type": "organization",
    "identifier": {
      "type": "enterpriseNumber",
      "value": "0450905686"
    },
    "name": "string",
    "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
    "address": {

```

```

    "countryNisCode": 150,
    "postCode": "4340",
    "municipality": "Awans",
    "street": "Rue de Bruxelles",
    "houseNumber": 174,
    "boxNumber": "A"
  },
  "email": "user@example.com"
},
"subcontractingRelationshipId": "wbqyn68.pm9vk",
"declaration": {
  "id": "1Y1012345678P",
  "activitySector": "delivery",
  "purpose": "continuous",
  "mainPlaceOfWork": {
    "countryNisCode": 150,
    "postCode": "4340",
    "municipality": "Awans",
    "street": "Rue de Bruxelles",
    "houseNumber": 174,
    "boxNumber": "A"
  },
  "orderer": {
    "type": "organization",
    "identifier": {
      "type": "enterpriseNumber",
      "value": "0450905686"
    },
    "name": "string",
    "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
    "address": {
      "countryNisCode": 150,
      "postCode": "4340",
      "municipality": "Awans",
      "street": "Rue de Bruxelles",
      "houseNumber": 174,
      "boxNumber": "A"
    }
  },
  "coordinators": [
    {
      "actor": {
        "type": "organization",
        "identifier": {
          "type": "enterpriseNumber",
          "value": "0450905686"
        },
        "name": "string",
        "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
        "address": "string"
      },
      "type": "project_owner_design"
    }
  ],
  "buildingUsage": "01",
  "customInternalReference": "string",
  "presenceRegistrationRequired": true,
  "publicProcurement": true,
  "confidential": true,
  "contractAmount": 0,
  "status": "active",
  "startDate": "2026-07-30",
  "endDate": "2026-07-30"
},
"status": {
  "code": "active",
  "label": {
    "nl": "string",
    "fr": "string",
    "de": "string",
    "en": "string"
  }
}

```

```
}  
}
```

PUT/contracts/{contractId}/

Update of a contract

Parameters

The contractId is to be provided as a parameter in the URL

Request body

The contractUpdate object is to be provided in the request body

Properties	Required	Information
temporaryEnterprise	No	Cross-checked with the CBE to validate its authenticity
signatureDate	Yes	Signature date of the contract. Should be greater or equal to the creationDate and less or equal to the start date of the works. This information is only available and mandatory if the declaration's activity sector is not 'delivery'.
workStartDate	Yes	Start date of the works of the contract. Can be in the past but this will result in a remark. This information is only available and mandatory if the declaration's activity sector is not 'delivery'.
workEndDate	Yes	End date of the works of the contract. Cannot be before the start date of the works. This information is only available and mandatory if the declaration's activity sector is not 'delivery'.
declarationNeededAtTheStartOfWork	Yes	Indicates that the subcontracting relationship declaration is needed at the start of the work. This information is only available if the declaration's activity sector is 'real estate'
amount	Yes	Total amount of the contract in Euro cents. Should be positive. This information is only available and mandatory if the declaration's activity sector is not 'delivery'
timeAndMaterials	Yes	Indicates that the amount is not definitive. This information is only available if the declaration's activity sector is not 'delivery'.
customInternalReference	No	Free text field allowing entry of another contract reference, just for information. This information is only available if the declaration's activity sector is not 'delivery'.
workRisks	No	List of work risks involved in the contract. This information is only available if the declaration's activity sector is 'real estate'.
workActivities	Yes	
contact	Yes	
contractor	Yes	

Request example

```
{
  "temporaryEnterprise": {
    "enterpriseNumber": "0406798006"
  },
  "signatureDate": "2026-07-30",
  "workStartDate": "2026-07-30",
  "workEndDate": "2026-07-30",
  "declarationNeededAtTheStartOfWork": true,
  "amount": 1234567,
  "timeAndMaterials": true,
  "customInternalReference": "string",
```

```
"workRisks": [  
  "asbestos"  
],  
"workActivities": [  
  "scaffolding_installation"  
],  
"contact": {  
  "givenName": "John",  
  "familyName": "Doe",  
  "telephone": "+32 475 12 34 56",  
  "email": "johnDoe@outlook.com"  
},  
"comment": "Comment of the contract",  
"contractor": {  
  "email": "user@example.com"  
}  
}
```

Response Example

```

{
  "temporaryEnterprise": {
    "enterpriseNumber": "0406798006"
  },
  "signatureDate": "2026-07-30",
  "workStartDate": "2026-07-30",
  "workEndDate": "2026-07-30",
  "declarationNeededAtTheStartOfWork": true,
  "amount": 1234567,
  "timeAndMaterials": true,
  "customInternalReference": "string",
  "workRisks": [
    "asbestos"
  ],
  "workActivities": [
    "scaffolding_installation"
  ],
  "contact": {
    "givenName": "John",
    "familyName": "Doe",
    "telephone": "+32 475 12 34 56",
    "email": "johnDoe@outlook.com"
  },
  "comment": "Comment of the contract",
  "id": "1Y1012345678P/1",
  "contractor": {
    "type": "organization",
    "identifier": {
      "type": "enterpriseNumber",
      "value": "0450905686"
    },
    "name": "string",
    "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
    "address": {
      "countryNisCode": 150,
      "postCode": "4340",
      "municipality": "Awans",
      "street": "Rue de Bruxelles",
      "houseNumber": 174,
      "boxNumber": "A"
    },
    "email": "user@example.com"
  },
  "subcontractingRelationshipId": "wbqyn68.pm9vk",
  "declaration": {
    "id": "1Y1012345678P",
    "activitySector": "delivery",
    "purpose": "continuous",
    "mainPlaceOfWork": {
      "countryNisCode": 150,
      "postCode": "4340",
      "municipality": "Awans",
      "street": "Rue de Bruxelles",
      "houseNumber": 174,
      "boxNumber": "A"
    },
    "orderer": {
      "type": "organization",
      "identifier": {
        "type": "enterpriseNumber",
        "value": "0450905686"
      },
      "name": "string",
      "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
      "address": {
        "countryNisCode": 150,
        "postCode": "4340",
        "municipality": "Awans",
        "street": "Rue de Bruxelles",
        "houseNumber": 174,
        "boxNumber": "A"
      }
    }
  }
}

```

```

    },
    "coordinators": [
      {
        "actor": {
          "type": "organization",
          "identifier": {
            "type": "enterpriseNumber",
            "value": "0450905686"
          },
          "name": "string",
          "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
          "address": "string"
        },
        "type": "project_owner_design"
      }
    ],
    "buildingUsage": "01",
    "customInternalReference": "string",
    "presenceRegistrationRequired": true,
    "publicProcurement": true,
    "confidential": true,
    "contractAmount": 0,
    "status": "active",
    "startDate": "2026-07-30",
    "endDate": "2026-07-30"
  },
  "status": {
    "code": "active",
    "label": {
      "nl": "string",
      "fr": "string",
      "de": "string",
      "en": "string"
    }
  }
}

```

DELETE/contracts/{contractId}

Delete a contract

Parameters

The contractId is to be provided in order to uniquely identify the contract.

The value is to be provided directly into the URL

Response Example

204 Removal was successful.

POST/contracts/search

Search contracts based on criteria passed in the request body

Request body

The contractSearch object is to be used

Properties	Required	Information
id	No	example: 1Y1012345678P/1
status	No	example: active
contractor	No	
declaration	No	

Request example

```
{
  "criteria": {
    "id": "1Y1012345678P/1",
    "status": [
      "active"
    ],
    "contractor": {
      "type": "organization",
      "identifier": {
        "type": "enterpriseNumber",
        "value": "0450905686"
      },
      "name": "string"
    },
    "declaration": {
      "id": "1Y1012345678P",
      "activitySector": [
        "delivery"
      ],
      "purpose": "continuous",
      "status": [
        "active"
      ]
    }
  },
  "sort": {
    "direction": "asc",
    "property": "id"
  }
}
```

Response Example

```
{
  "first": "string",
  "last": "string",
  "prev": "string",
  "next": "string",
  "page": 0,
  "pageSize": 0,
  "total": 0,
  "totalPages": 0,
  "items": [
    {
      "temporaryEnterprise": {
        "enterpriseNumber": "0406798006"
      },
      "signatureDate": "2026-07-30",
      "workStartDate": "2026-07-30",
      "workEndDate": "2026-07-30",
    }
  ]
}
```

```

"declarationNeededAtTheStartOfWork": true,
"amount": 1234567,
"timeAndMaterials": true,
"customInternalReference": "string",
"workRisks": [
  "asbestos"
],
"workActivities": [
  "scaffolding_installation"
],
"contact": {
  "givenName": "John",
  "familyName": "Doe",
  "telephone": "+32 475 12 34 56",
  "email": "johnDoe@outlook.com"
},
"comment": "Comment of the contract",
"id": "1Y1012345678P/1",
"contractor": {
  "type": "organization",
  "identifier": {
    "type": "enterpriseNumber",
    "value": "0450905686"
  },
  "name": "string",
  "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
  "address": {
    "countryNisCode": 150,
    "postCode": "4340",
    "municipality": "Awans",
    "street": "Rue de Bruxelles",
    "houseNumber": 174,
    "boxNumber": "A"
  },
  "email": "user@example.com"
},
"subcontractingRelationshipId": "wbqyn68.pm9vk",
"declaration": {
  "id": "1Y1012345678P",
  "activitySector": "delivery",
  "purpose": "continuous",
  "mainPlaceOfWork": {
    "countryNisCode": 150,
    "postCode": "4340",
    "municipality": "Awans",
    "street": "Rue de Bruxelles",
    "houseNumber": 174,
    "boxNumber": "A"
  },
  "orderer": {
    "type": "organization",
    "identifier": {
      "type": "enterpriseNumber",
      "value": "0450905686"
    },
    "name": "string",
    "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
    "address": {
      "countryNisCode": 150,
      "postCode": "4340",
      "municipality": "Awans",
      "street": "Rue de Bruxelles",
      "houseNumber": 174,
      "boxNumber": "A"
    }
  }
},
"coordinators": [
  {
    "actor": {
      "type": "organization",
      "identifier": {
        "type": "enterpriseNumber",

```

```

        "value": "0450905686"
      },
      "name": "string",
      "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
      "address": "string"
    },
    "type": "project_owner_design"
  }
],
"buildingUsage": "01",
"customInternalReference": "string",
"presenceRegistrationRequired": true,
"publicProcurement": true,
"confidential": true,
"contractAmount": 0,
"status": "active",
"startDate": "2026-07-30",
"endDate": "2026-07-30"
},
"status": {
  "code": "active",
  "label": {
    "nl": "string",
    "fr": "string",
    "de": "string",
    "en": "string"
  }
}
}
},
"sort": {
  "direction": "asc",
  "property": "id"
}
}

```

Subcontracting Relationships

POST/contracts/{contractId}/subcontractingRelationship

Create a new subcontracting relationship

Parameters

The contractId is to be provided as a parameter in the URL

Request Body

The *subcontractingRelationshipCreation* object is to be provided

subcontractingRelationship:

The object contains all the information specific to the subcontracting relationship

Properties	Required	Information
parent	Yes	
startDate	Yes	The start date must fall within the intervention period of the parent relationship (if any). Can be in the past, but must respect the date rule above.
endDate	No	The end date must fall within the intervention period of the parent relationship (if any). Cannot be before the start date
workRisks	No	List of work risks involved in the subcontracting relationship. \ This information is only available if the declaration's activity sector is 'real estate'
subcontractorActivities	No	List of subcontractor activities involved in the subcontracting relationship. Minimum one activity is required. \ This information is only available if the declaration's activity sector is 'real estate'
subContractor	Yes	

Request example

```
{
  "parent": {
    "id": "wbqyn68.pm9vk"
  },
  "startDate": "2026-07-30",
  "endDate": "2026-07-30",
  "workRisks": [
    "asbestos"
  ],
  "subcontractorActivities": [
    "maintenance"
  ],
  "subContractor": {
    "type": "organization",
    "identifier": {
      "type": "enterpriseNumber",
      "value": "0450905686"
    }
  }
}
```

```

    },
    "name": "string",
    "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
    "address": {
      "countryNisCode": 150,
      "postCode": "4340",
      "municipality": "Awans",
      "street": "Rue de Bruxelles",
      "houseNumber": 174,
      "boxNumber": "A"
    }
  }
}

```

Response Example

```

{
  "parent": {
    "id": "wbqyn68.pm9vk",
    "subContractor": {
      "type": "organization",
      "identifier": {
        "type": "enterpriseNumber",
        "value": "0450905686"
      },
      "name": "string",
      "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
      "address": "string"
    }
  },
  "startDate": "2026-07-30",
  "endDate": "2026-07-30",
  "workRisks": [
    "asbestos"
  ],
  "subcontractorActivities": [
    "maintenance"
  ],
  "id": "wbqyn68.pm9vk",
  "subContractor": {
    "type": "organization",
    "identifier": {
      "type": "enterpriseNumber",
      "value": "0450905686"
    },
    "name": "string",
    "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
    "address": {
      "countryNisCode": 150,
      "postCode": "4340",
      "municipality": "Awans",
      "street": "Rue de Bruxelles",
      "houseNumber": 174,
      "boxNumber": "A"
    }
  }
}

```

PUT/subcontractingRelationships/{subcontractingRelationshipId}

Update a subcontracting relationship

Parameters

The subcontractingRelationshipId is to be provided as a parameter in the URL

Request Body

The subcontractingRelationshipUpdate object is to be provided in the request body

Properties	Required	Information
parent	Yes	
startDate	Yes	The start date must fall within the intervention period of the parent relationship (if any). Can be in the past, but must respect the date rule above.
endDate	No	The end date must fall within the intervention period of the parent relationship (if any). Cannot be before the start date
workRisks	No	
subcontractorActivities	No	

Request example

```
{
  "parent": {
    "id": "wbqyn68.pm9vk"
  },
  "startDate": "2026-07-30",
  "endDate": "2026-07-30",
  "workRisks": [
    "asbestos"
  ],
  "subcontractorActivities": [
    "maintenance"
  ]
}
```

Response Example

```
{
  "parent": {
    "id": "wbqyn68.pm9vk",
    "subContractor": {
      "type": "organization",
      "identifier": {
        "type": "enterpriseNumber",
        "value": "0450905686"
      },
      "name": "string",
      "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
      "address": "string"
    }
  },
  "startDate": "2026-07-30",
  "endDate": "2026-07-30",
  "workRisks": [
    "asbestos"
  ],
  "subcontractorActivities": [
    "maintenance"
  ],
}
```

```
"id": "wbqyn68.pm9vk",
"subContractor": {
  "type": "organization",
  "identifier": {
    "type": "enterpriseNumber",
    "value": "0450905686"
  },
  "name": "string",
  "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
  "address": {
    "countryNisCode": 150,
    "postCode": "4340",
    "municipality": "Awans",
    "street": "Rue de Bruxelles",
    "houseNumber": 174,
    "boxNumber": "A"
  }
}
}
```

DELETE/subcontractingRelationships/{subcontractingRelationshipId}

Delete a subcontracting relationship

Parameters

The subcontractingRelationshipId is to be provided as a parameter in the URL

Response

When successful the code 204 with description "Removal was successful" should be given.

POST/subcontractingRelationships/search

Search subcontracting relationships

Request Body

The SubcontractingRelationshipSearch object is to be provided in the request body

Properties	Required	Information
id	No	
declaration	No	
contract	No	
parent	No	
actor	No	

Request example

```
{
  "criteria": {
    "id": "wbqyn68.pm9vk",
    "declaration": {
      "id": "1Y1012345678P",
      "activitySector": [
        "delivery"
      ],
      "purpose": "continuous",
      "status": [
        "active"
      ]
    },
    "contract": {
      "id": "1Y1012345678P/1",
      "status": [
        "active"
      ]
    },
    "parent": {
      "id": "wbqyn68.pm9vk"
    },
    "actor": [
      {
        "type": "organization",
        "identifier": {
          "type": "enterpriseNumber",
          "value": "0450905686"
        },
        "name": "string",
        "role": "contractor"
      }
    ],
    "includeDeleted": true
  }
}
```

Response Example

```
{
  "first": "string",
  "last": "string",
  "prev": "string",
  "next": "string",
  "page": 0,
  "pageSize": 0,
  "total": 0,
  "totalPages": 0,
  "items": [
    {

```

```

"parent": {
  "id": "wbqyn68.pm9vk",
  "subContractor": {
    "type": "organization",
    "identifier": {
      "type": "enterpriseNumber",
      "value": "0450905686"
    },
    "name": "string",
    "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
    "address": "string"
  }
},
"startDate": "2026-07-30",
"endDate": "2026-07-30",
"workRisks": [
  "asbestos"
],
"subcontractorActivities": [
  "maintenance"
],
"id": "wbqyn68.pm9vk",
"subContractor": {
  "type": "organization",
  "identifier": {
    "type": "enterpriseNumber",
    "value": "0450905686"
  },
  "name": "string",
  "justification": "Foreign subcontractor not yet registered in the Belgian enterprise registry.",
  "address": {
    "countryNisCode": 150,
    "postCode": "4340",
    "municipality": "Awans",
    "street": "Rue de Bruxelles",
    "houseNumber": 174,
    "boxNumber": "A"
  }
}
}
}
}
]
}

```

Remarks

GET/contracts/{contractId}/remarks

Get remarks of a contract

Parameters

The contractId is to be provided as parameter in the URL

Response Example

```
{
  "remarks": [
    {
      "code": "unknown_enterprise",
      "description": "The enterprise does not exist in the CBE.",
      "resolution": "<a href=\"https://example.com/how-to-change-enterprise\">Change the enterprise respon
sible for this subcontracting relationship</a>"
    }
  ]
}
```

GET/subcontractingRelationships/{subcontractingRelationshipId}/remarks

Get remarks of a subcontracting relationship

Parameters

The subcontractingRelationshipId is to be provided as parameter in the URL

Response Example

```
{
  "remarks": [
    {
      "code": "UNKNOWN_ENTERPRISE",
      "description": "The enterprise does not exist in the CBE.",
      "resolution": "<a href=\"https://example.com/how-to-change-enterprise\">Change the enterprise responsible for this subcontracting relationship</a>"
    }
  ]
}
```

RefData

GET/refData/buildingUsages

Retrieve all building usage codes & their i18n labels (FR/NL/DE/EN)

Response Example

```
{
  "items": [
    {
      "code": "01",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

GET/refData/buildingUsages/{buildingUsageCode}

Retrieve a building usage detail (code & i18n labels) by its code.

Parameters

The buildingUsageCode is to be provided as a parameter in the URL

Response Example

```
{
  "code": "01",
  "label": {
    "nl": "string",
    "fr": "string",
    "de": "string",
    "en": "string"
  }
}
```

GET/refData/contractStatuses

Retrieve all contract status codes & their i18n labels (FR/NL/DE/EN)

[Response Example](#)

```
{
  "items": [
    {
      "code": "active",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

GET/refData/contractStatuses/{contractStatusCode}

Retrieve a contract status detail (code & i18n labels) by its code.

Parameters

The contractStatusCode is to be provided as a parameter in the URL

Response Example

```
{
  "code": "active",
  "label": {
    "nl": "string",
    "fr": "string",
    "de": "string",
    "en": "string"
  }
}
```

GET/refData/coordinatorTypes

Retrieve all coordinator type codes & their i18n labels (FR/NL/DE/EN)

[Response Example](#)

```
{
  "items": [
    {
      "code": "project_owner_design",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

GET/refData/coordinatorTypes/{coordinatorTypeCode}

Retrieve a coordinator type detail (code & i18n labels) by its code.

Parameters

The coordinatorTypeCode is to be provided as a parameter in the URL

Response Example

```
{
  "code": "project_owner_design",
  "label": {
    "nl": "string",
    "fr": "string",
    "de": "string",
    "en": "string"
  }
}
```

GET/refData/declarationActivitySectors

Retrieve all activity sector codes and their i18n labels (FR/NL/DE/EN)

[Response Example](#)

```
{
  "items": [
    {
      "code": "delivery",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

GET/refData/declarationActivitySectors/{declarationActivitySectorCode}

Return a declaration activity sector by its code

Parameters

The declarationActivitySectorCode is to be provided as a parameter in the URL

Response Example

```
{
  "code": "delivery",
  "label": {
    "nl": "string",
    "fr": "string",
    "de": "string",
    "en": "string"
  }
}
```

GET/refData/declarationStatuses

Retrieve all declaration status codes and their i18n labels (FR/NL/DE/EN)

[Response Example](#)

```
{
  "items": [
    {
      "code": "active",
      "label": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

GET/refData/declarationStatuses/{declarationStatusCode}

Return a declaration status by its code

Parameters

The declarationStatusCode is to be provided as a parameter in the URL

Response Example

```
{
  "code": "active",
  "label": {
    "nl": "string",
    "fr": "string",
    "de": "string",
    "en": "string"
  }
}
```

GET/remarks

Retrieve all remarks and codes and their i18n description (FR/NL/DE/EN)

[Response Example](#)

```
{
  "items": [
    {
      "code": "actor_bankruptcy",
      "description": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

GET/remarks/{remarkCode}

Retrieve a remark detail (code, i18n description and i18n resolution) by its code

Parameters

The remarkCode is to be provide as a parameter in the URL

Response Example

```
{
  "code": "actor_bankruptcy",
  "description": {
    "nl": "string",
    "fr": "string",
    "de": "string",
    "en": "string"
  },
  "resolution": {
    "nl": "string",
    "fr": "string",
    "de": "string",
    "en": "string"
  }
}
```


GET/subcontractorActivities

Retrieve all subcontractor activity codes and their i18n description (FR/NL/DE/EN)

[Response Example](#)

```
{
  "items": [
    {
      "code": "maintenance ",
      "description": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

GET/subcontractorActivities/{subcontractorActivityCode}

Retrieve a subcontractor activity detail (code, i18n description and i18n resolution) by its code

Parameters

The subcontractorActivityCode is to be provide as a parameter in the URL

Response Example

```
{
  "code": "maintenance",
  "description": {
    "nl": "string",
    "fr": "string",
    "de": "string",
    "en": "string"
  }
}
```

GET/workActivities

Retrieve all work activity codes and their i18n description (FR/NL/DE/EN)

[Response Example](#)

```
{
  "items": [
    {
      "code": "scaffolding_installation",
      "description": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

GET/workActivities/{workActivityCode}

Retrieve a work activity detail (code, i18n description and i18n resolution) by its code

Parameters

The workActivityCode is to be provide as a parameter in the URL

Response Example

```
{
  "code": "scaffolding_installation",
  "description": {
    "nl": "string",
    "fr": "string",
    "de": "string",
    "en": "string"
  }
}
```

GET/workRisks

Retrieve all work risk codes and their i18n description (FR/NL/DE/EN)

[Response Example](#)

```
{
  "items": [
    {
      "code": "asbestos",
      "description": {
        "nl": "string",
        "fr": "string",
        "de": "string",
        "en": "string"
      }
    }
  ]
}
```

GET/workRisks/{workRiskCode}

Retrieve a work risk detail (code, i18n description and i18n resolution) by its code

Parameters

The workRiskCode is to be provide as a parameter in the URL

Response Example

```
{
  "code": "asbestos",
  "description": {
    "nl": "string",
    "fr": "string",
    "de": "string",
    "en": "string"
  }
}
```

Environment Information

Catena will provide two environments in order to integrate with the webservice:

- A **simulation** environment for companies to use for development and testing of their integration solutions.
- The **production** environment for the actual integration with the Catena platform.

The URL of the **simulation** environment is the following:

Service REST Catena: <https://services-sim.socialsecurity.be/REST/enterpriseWorkContractChain/v1>

The URL of the **production** environment is the following:

Service REST Catena: <https://services.socialsecurity.be/REST/enterpriseWorkContractChain/v1>

To be able to connect to the service, more information can be found : <https://www.rest-documentation.socialsecurity.be/>.

To test the REST service in the **simulation** environment, the same token used in the **production** environment must be applied.

Service Availability and performance

For the production environment of the Catena webservice, Smals guarantees a target availability of 99%.

These SLAs are guaranteed from Monday to Friday from 07:00 to 19:00. Outside of these hours, the webservice's uptime is reduced to 97,5%.

Contact

In case of issues the contact center is available for assistance. For information on how to contact them, see:

<https://www.belparcel.be/en/help/contact-us.html>